



To replace  
June 2015  
version

# LOCK GUIDE

ECB•S R01

## Contents

1	Scope.....	2
2	Class A locks .....	3
3	Class B locks .....	7
4	Class C locks .....	21
5	Class D locks .....	24
6	List of suppliers.....	26

Edited by:  
European Certification Body GmbH  
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany

## 1 Scope

The lock guide is applicable for the following certified ECB•S products:

- Secure safe cabinets according to EN 14450
- Safes, ATM safes and strongroom doors according to EN 1143-1
- Deposit systems (deposit safes and night safes) according to EN 1143-2

**ECB•S certified secure storage units shall exclusively be equipped with high security locks according to EN 1300 which are listed both in the approved technical documentation (Annex to the certificate) and in the lock guide ECB•S R01. The mounting instruction of the listed locks have to be followed when used in a certified secure storage unit.**

In the lock guide, the following locks are classified:

- Mechanical key locks (KL)
- Mechanical code locks (CL)
- Electronical locks (EKL – Electronical key locks; ECL – Electronical code locks)

Additional abbreviations:

- PS: Picking protection
- AS: Automatic scrambling
- IND: Indirect drive
- RS: Redundant system
- <sup>1)</sup> Mounting dimensions not according to the informative Annex D of EN 1300:2013

Bolt design:

- [ Dead bolt, square bolt, straight bolt etc.
- C Flat bolt
- ∠ Swing bolt, roto bolt etc.

Please consider: The bolt dimensions are only generalized and categorized, e.g. "flat bolt" locks may differ in size and shape from each other. This lock guide does not express that all the listed locks are interchangeable.

Further features of the ECB•S certified locks are listed in the electronic product locator at [www.ecb-s.com](http://www.ecb-s.com).

The column "ECB•S certificate" shows the current certificate number. In product specific locks lists the last letter may be replaced with an "x". For instance "9696/HSL09-08B" may be shown as "9696/HSL09-08x" in product specific lock lists.

In addition to the ECB•S certified high security locks, the guide also contains certified locks of other accredited certification bodies marked in grey. When using these "grey locks", the manufacturer of secure storage units is obliged to require, obtain and keep proofs of the fulfilment of the relevant class(es) according to EN 1300 from the lock manufacturer at all times.

## 2 Class A locks

2.1 Mechanical key locks (KL)	Model	ECB•S certificate	EN 1300/ Bolt	
			A	C
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS 11 <sup>1)</sup>	0061/HSL03-02E	A	C
<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series 2600, Types: 2608 <sup>1)</sup> 2618 2628 <sup>1)</sup> 2648 Optima	1210/HSL12-01A	A	C [ other [
<b>Gunnebo Bazancourt S.A.S,</b> Bazancourt/FR	MxB-A	0440/HSL04-02C	A	[
<b>Kaba Mauer GmbH,</b> Heiligenhaus/DE	70091/70092 (Variator A) (Code changeable) 71111 (President A) 73042 (Tricontus A) <sup>1)</sup> 74041 (Centurio A) <sup>1)</sup> 74046 (Centurio A Plus) <sup>1)</sup>	537303/HSL03-01D 537303/HSL03-02D 537303/HSL03-03D 537303/HSL03-04D 537303/HSL03-05D	A A A A A	[ [ other C C
<b>SECU</b> <b>Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	S 1000 S 2700 U (Code changeable)	071302/HSL03-01E 071302/HSL03-02D	A A	C [

### **Certified locks of other accredited bodies:**

<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series 1600 <sup>1)</sup> Types: 1609 1619 1629 (with control lock) 1639 (with integrated electronic time delay system) 1819	no ECB•S Certificate  no ECB•S certificate	A  A
--	---	--	------------

<b>Euro-Lock Sp. Z o.o.</b> , Ruda Slaska/GB	3007/3012		no ECB•S certificate	A
<b>Kaba Mauer GmbH</b> , Heiligenhaus/DE	78091	1)	no ECB•S certificate	A
<b>Sargent &amp; Greenleaf Inc.</b> , Nicholasville, Kentucky/US	6860	(Code changeable)	no ECB•S certificate	A
<b>Shenzhen City Zhishengyu Fine Metal Plastic Co, Ltd.</b> Shenzhen, Guangdong/CN	ZSY-03	(Code changeable)	no ECB•S certificate	A
<b>Steinbach &amp; Vollmann GmbH &amp; Co.</b> , Heiligenhaus/DE	Series 4.19.92 Series IVOX Typ 4.19.95		no ECB•S certificate	A A
<b>Talleres AGA S.A.</b> , Arrasate-Mondragon/ES	0246 and 0248 0236	(Code changeable)	no ECB•S certificate no ECB•S certificate	A A

2.2 Mechanical code locks (CL) Model	ECB•S Certificate	EN 1300/ Bolt	
<b>Kaba Mas LLC,</b> Lexington, Kentucky/US  <b>LA GARD 3390S (PS)</b> Types:3390SZA, 3390SZC, 3390SZD, 3390SZE, 3390SZG, 3390SZK, 3390SZM, 3390SZN former name 3390EX	538102/HSL09-03A	<b>A</b>	[

**Certified locks of other accredited bodies:**

<b>Kaba Mas LLC,</b> Lexington, Kentucky/US	LA GARD 3330-1	no ECB•S certificate	A
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	3095	no ECB•S certificate	A
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	Series 6641 Types: -001, -002, -003	no ECB•S certificate	A
	Series 6651 (PS) Types: -001, -009, -010, -011, -013, -014, -015, -100, -101	no ECB•S certificate	A
	Series 6730 Types: -013, -017, -024, -046, -075, -090, -125, -142, -150, -159, -164	no ECB•S certificate	A
	Series 6741 Types: -012, -019, -020, -043, -047, -050, -124, -125	no ECB•S certificate	A

2.3 Electronic locks (EKL/ECL)	Model	ECB•S Certificate	EN 1300/ Bolt	
<b>JUWEL SRL,</b> Vanzago (Milano)/IT	RUNNERS ELECTRONICS LOCK – 3154/1/3/5 Hub : 8,75mm (ECL)  RUNNERS ELECTRONICS LOCK – 3155/1/3/5 Hub 14 mm (ECL) (certified only in mode V.01, V.03 and V.05)	1306/HSL13-01A	<b>A</b>	[
<b>Promet NPO, Ltd.</b> Moscow/RU	PS-300 (ECL) <sup>1)</sup>	0907/HSL10-01D	<b>A</b>	[
<b>Promet Safe, Ltd. ,</b> Kazanlak/BG	PS-300 (ECL) <sup>1)</sup>	0906/HSL14-01B	<b>A</b>	[
<b>SECU</b> <b>Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-A (ECL)	071302/HSL07-01B	<b>A</b>	[

***Certified locks of other accredited bodies:***

<b>Kaba Mauer GmbH,</b> Heiligenhaus/DE	82021 Code Combi K (ECL) <sup>1)</sup>	no ECB•S certificate	<b>A</b>	
--	--	----------------------	----------	--

**3 Class B locks**

<b>3.1 Mechanical key locks (KL)</b>	<b>Model</b>	<b>ECB•S Certificate</b>	<b>EN 1300/ Bolt</b>	
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS 22 (Code changeable)	0061/HSL03-01D	<b>B</b>	[
<b>Carl Wittkopp GmbH,</b> Velbert/DE	1821-1 (Standard)	1210/HSL12-03A	<b>B</b>	C [
	1821-2 (with control lock)	1210/HSL12-03A	<b>B</b>	[
<b>Conforti SpA,</b> San Martino Buon Albergo/IT	ISN11D	1206/HSL12-01A	<b>B</b>	C
	PKL R1DF	1206/HSL13-01	<b>B</b>	[
<b>Gunnebo Bazancourt S.A.S.,</b> Bazancourt/FR	MxB-B	0440/HSL04-03C	<b>B</b>	[
<b>Kaba Mauer GmbH,</b> Heiligenhaus/DE	70040 Varos (changeable)	537303/HSL11-01B	<b>B</b>	[
	70076 (Variator B) (changeable)	537303/HSL03-11D	<b>B</b>	[
	70077 (Variator B) (changeable)	537303/HSL03-11D	<b>B</b>	[
	70079 (Praetor B) (changeable)	537303/HSL03-11D	<b>B</b>	[
	70211 to 70218 (E-Variator B) (code changeable key lock with electro-mechanical release and/or interlocking function) (changeable)	537303/HSL03-12C	<b>B</b>	[
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	2376 EuroNovum	1109/HSL11-06A	<b>B</b>	C
	2377 EuroNovum	1109/HSL11-07A	<b>B</b>	[
<b>M-Locks BV,</b> Doetinchem/NL	KL3909 (Code changeable)	1007/HSL15-01	<b>B</b>	[
<b>SECU Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	S 4700 U (Code changeable)	071302/HSL03-04D	<b>B</b>	[

**Certified locks of other accredited bodies:**

<b>ASSA OEM AB</b> Mölnlycke/SE	FAS 6980	(Code changeable)	no ECB•S certificate	B
<b>Intergard LLC</b> Sunrise, Florida/US	KL39-09	(Code changeable)	no ECB•S certificate	B
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	6880	(Code changeable)	no ECB•S certificate	B
<b>Shenzhen City Zhishengyu Fine Metal Plastic Co, Ltd.</b> Shenzhen, Guangdong/CN	ZSY-03A	(Code changeable)	no ECB•S certificate	B
<b>Steinbach &amp; Vollmann GmbH &amp; Co. KG,</b> Heiligenhaus/DE	Series 4.19.94		no ECB•S certificate	B
	Series IVOX Types 4.19.97, 4.19.97A			B
	RELOX			B
<b>Talleres AGA S.A.,</b> Arrasate-Mondragon/ES	0247		no ECB•S certificate	B
	0237	(Code changeable)	no ECB•S certificate	B



<b>3.2 Mechanical code locks (CL)</b>	<b>Model</b>	<b>ECB•S Certificate</b>	<b>EN 1300/Bolt</b>	
<b>Carl Wittkopp GmbH,</b> Velbert/DE	7800 (PS)	1210/HSL12-02A	<b>B</b>	[
<b>Kaba Mas LLC,</b> Lexington, Kentucky/US	LA GARD 3390V (PS) Types: 3390 VZK (with bolt switching contact) 3390 VZN (without bolt switching contact)	538102/HSL09-07A	<b>B</b>	[
<b>M-Locks BV,</b> Doetinchem/NL	ML6740 / ML6785 (PS) ML6740 with square spindle ML6785 with threaded spindle	1007/HSL10-06A	<b>B</b>	[

***Certified locks of other Accredited bodies:***

<b>Intergard LLC,</b> Sunrise, Florida/US	ML67.40 / ML67.85 Typ ML67.40 with square spindle Typ ML67.85 with threaded spindle	no ECB• certificate	<b>B</b>	
<b>Kaba Mas LLC,</b> Lexington, Kentucky/US	LA GARD 1985 (PS)	no ECB•S certificate	<b>B</b>	
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	3096 Types 3096...31 (with bolt contact)  3098 (PS) Types 3098...31 (with bolt contact)	no ECB•S certificate	<b>B</b>	
<b>LOCK Technology,</b> VR Uift/NL	ML67.40 (with square spindle; PS) ML67.45 (with square spindle; PS) ML67.85 (with threaded spindle; PS)	no ECB•S certificate	<b>B</b>	
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	Series 6630 (PS) Types: -009, -010, -011, -012, -013, -014, -015, -016, -017, -024, -046, -090, -150  Series 6642 Types: -001, -002  Series 6731 Types: -006, -014, -016, -017, -025  Series 8550 (PS) Types: -004, -006, -009, -018, -027, -028, -029, -030, -032	no ECB•S certificate  no ECB•S certificate  no ECB•S certificate  no ECB•S certificate	<b>B</b>  <b>B</b>  <b>B</b>  <b>B</b>	

<p><b>TECNOSICUREZZA s.r.l.,</b> Verona/IT</p>	<p>ML67.40 (with square spindle; PS) ML67.85 (with threaded spindle; PS)</p>	<p>no ECB•S certificate</p>	<p>B</p>
<p><b>Michael J .Walsh &amp; Associates, Inc.,</b> Chiloquin, OR/US</p>	<p>CLD-3M (PS)</p>	<p>no ECB•S certificate</p>	<p>B</p>

3.3 Electronic locks (EKL/ECL)	Model	ECB•S Certificate	EN 1300/ Bolt	
<b>BAUSSA Industrias de Seguridad,</b> Munguia (Vizcaya)/ES	Spider Pro (ECL)	1108/HSL11-01A	<b>B</b>	[
	Spider Com / Spider Pro Com (ECL)	1108/HSL14-01	<b>B</b>	[
<b>Bordogna S.r.l.,</b> Palazzolo sull'Oglio/IT	<b>BMZ</b> (ECL) Types: BMZ66-CM BMZ66-CMH BMZ66-CMT BMZ66-12-CM BMZ66-12-CMH BMZ66-12-CMT	0905/HSL15-01	<b>B</b>	[
	<b>BMZ66SC-C1T</b> (ECL) Types: BMZ66SC-CM BMZ66SC-CMH BMZ66SC-CMT BMZ66SC-CM2T BMZ66SC-C1 BMZ66SC-C1T BMZ66SC-12-CM BMZ66SC-12-CMH BMZ66SC-12-CMT BMZ66SC-12-CM2T BMZ66SC-12-C1 BMZ66SC-12-C1T	0905/HSL16-01	<b>B</b>	[
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	<b>TRS E8</b> (ECL)	0061/HSL09-01C	<b>B</b>	[
<b>Carl Wittkopp GmbH,</b> Velbert/DE	<b>Series PRIMOR</b> (ECL) Types:	1210/HSL12-04A	<b>B</b>	
	<b>PRIMOR 1000</b> input units FL, FS, RO		<b>B</b>	∠
	<b>PRIMOR 2000</b> input unit RO		<b>B</b>	[
	<b>PRIMOR 3000</b> input units FL, FS, RO		<b>B</b>	[
	<b>PRIMOR 3010</b> input units FL, FS, RO with connection to emergency lock		<b>B</b>	[
<b>PRIMOR 3011</b> input units FL, FS, RO with connection to emergency lock	<b>B</b>	[		

	<p><b>Series PRIMOR 100</b> (ECL) Input units RE and RO with various lock covers</p> <p><b>GATOR 2000</b> Input units Gator RO, Gator R, Gator DR</p> <p><b>GATOR 3000/3010</b> Types 3000 and 3010 (with emergency lock) Input units Gator FL, Gator FS, Gator RO, Gator F, Gator DF</p> <p><b>GATOR 5000</b> Input units: Gator FL, Gator FS, Gator F, Gator DF</p> <p><b>GATOR 6000</b> Input units: Gator FL, Gator FS, Gator F, Gator DF</p>	<p>1210/HSL16-07</p> <p>1210/HSL16-01</p> <p>1210/HSL16-02</p> <p>1210/HSL16-03</p> <p>1210/HSL16-04</p>	<p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p>	<p>⊂</p> <p>[</p> <p>[</p> <p>[</p> <p>[</p>
<p><b>dormakaba Schweiz AG,</b> Wetzikon/CH</p>	<p><b>PAXOS Advance</b> (ECL/RS) (with keypad input) (also recognized as actuator for burglar alarm systems)</p> <p><b>PAXOS COMPACT</b> (ECL/RS) (with keypad input) (also recognized as actuator for burglar alarm systems)</p> <p><b>Axessor</b> (ECL, IP) <b>Models/Input unit/replaces former:</b> <b>CIT/AXESSOR-CITIU/527 Questor</b> <b>IP/AXESSOR-IPIU/528 Axessor</b> <b>USB/AXESSOR-USBIU/525</b></p>	<p>072232/HSL14-01</p> <p>072232/HSL03-02C</p> <p>072232/HSL16-01</p>	<p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>[</p> <p>[</p>
<p><b>Gunnebo Electronic Security SAS,</b> Baldenheim/FR</p>	<p><b>NECTRA</b> (ECL) Types/Input unit: AUDIT/TXN2 BASIC/PXN MK II-F/TXN2 AKW659</p> <p><b>REL</b> (ECL) Types/Input unit: AUDIT/TXN2 BASIC/TXN</p> <p><b>MKII-C</b> (ECL) Input unit: TXN2</p>	<p>0807/HSL08-02D</p> <p>0807/HSL08-01C</p> <p>0807/HSL13-01A</p>	<p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>[</p> <p>[</p>

<p><b>GSL 1000 B (ECL)</b>                  Types:                  GSL 1031-B with input unit                      GSL IU 1030-B (standard)                  GSL 1032-B with input unit                      GSL IU 1030-B (standard)                  GSL1033-B with input unit                      GSL IU 1030-B (standard)                  GSL 1041-B with input unit                      GSL IU 1040-B (with fingerprint)                  GSL 1042-B with input unit                      GSL IU 1040-B (with fingerprint)                  GSL 1043-B with input unit                      GSL IU 1040-B (with fingerprint)  <b>Certification expires in fingerprint only setting</b></p>	<p>0807/HSL09-01C</p>	<p><b>B</b></p>	<p>[</p>
<p><b>INSYS Microelectronics GmbH, Regensburg/DE</b></p> <p><b>TwinLock B (ECL)</b>                  Models / input unit                  Twinlock B700 BioPin / FlatControl BioPin B                  TwinLock B700 Business M / FlatControl Business B – M                  TwinLock B700 Business S / FlatControl FlatControl Business B – S                  TwinLock B700 eCode / FlatControl eCode                  TwinLock B700 WTU / FlatControl WTU                  optional with network connection  <i>(supersedes TwinLock 7260 versions)</i></p> <p><b>CombiLock 200 (ECL)</b>                  Models: pro, RFID und simplex                  input unit: CombiControl  <i>(supersedes CombiStar 200)</i></p> <p><b>EloStar (ECL)</b>                  Models: EloStar 300 pro, EloStar 300 multi and EloStar 300 time                  input unit: ES33 and ES33 multi</p> <p><b>EloStar Master (ECL)</b>                  Models / input unit                  EloStar Master 300 BioMaster / FlatControl BioMaster                  EloStar Master 300 M / FlatControl Master M                  EloStar Master 300 S / FlatControl Master S                  optional with network connection</p>	<p>0908/HSL14-04A</p>	<p><b>B</b></p>	<p>[</p>
<p>0908/HSL14-01B</p>	<p><b>B</b></p>	<p>[</p>	
<p>0908/HSL14-02</p>	<p><b>B</b></p>	<p>[</p>	
<p>0908/HSL14-03</p>	<p><b>B</b></p>	<p>[</p>	
<p><b>Kaba Mas LLC, Lexington, Kentucky/US</b></p> <p><b>Cencon (ECL)</b>                  Types: KU, KD, KI</p>	<p>538102/HSL04-02C</p>	<p><b>B</b></p>	<p>[</p>
<p><b>Cencon SWB (ECL)</b></p>	<p>538102/HSL12-01A</p>	<p><b>B</b></p>	<p>∠</p>

<p><b>AUDITCON 2 Swingbolt (ECL)</b> Types: 52, T52, 252 and 552</p> <p><b>LA GARD Deadbolt (ECL)</b> Models:  <table border="1"> <thead> <tr> <th>Lock</th> <th>Input</th> <th>Software</th> </tr> </thead> <tbody> <tr><td>3740 M</td><td>3035</td><td>LG Basic</td></tr> <tr><td>3740 M</td><td>3047*</td><td>LG Basic</td></tr> <tr><td>3740 M</td><td>3190</td><td>LG Basic</td></tr> <tr><td>3740 M</td><td>3710*</td><td>LG Basic</td></tr> <tr><td>3740 M</td><td>3750</td><td>LG Basic</td></tr> <tr><td>6040 M</td><td>3035</td><td>Pro(39E),Supra, LGA</td></tr> <tr><td>6040 M</td><td>3125</td><td>Pro(39E),Supra, LGA</td></tr> <tr><td>6040 M</td><td>3190</td><td>Pro(39E),Supra, LGA</td></tr> <tr><td>6040 M</td><td>3710*</td><td>Pro(39E),Supra, LGA</td></tr> <tr><td>6040 M</td><td>3750</td><td>Pro(39E),Supra, LGA</td></tr> <tr><td>6040 M</td><td>3750K</td><td>Pro(39E),Supra, LGA</td></tr> <tr><td>6040 M</td><td>8130*</td><td>Pro(39E),Supra, LGA</td></tr> </tbody> </table>                     *Knob turn 2666 required                 </p>	Lock	Input	Software	3740 M	3035	LG Basic	3740 M	3047*	LG Basic	3740 M	3190	LG Basic	3740 M	3710*	LG Basic	3740 M	3750	LG Basic	6040 M	3035	Pro(39E),Supra, LGA	6040 M	3125	Pro(39E),Supra, LGA	6040 M	3190	Pro(39E),Supra, LGA	6040 M	3710*	Pro(39E),Supra, LGA	6040 M	3750	Pro(39E),Supra, LGA	6040 M	3750K	Pro(39E),Supra, LGA	6040 M	8130*	Pro(39E),Supra, LGA	<p>538102/HSL11-02A</p> <p>538102/HSL11-01A</p>	<p><b>B</b></p> <p><b>B</b></p>	<p>∠</p> <p>[</p>
Lock	Input	Software																																								
3740 M	3035	LG Basic																																								
3740 M	3047*	LG Basic																																								
3740 M	3190	LG Basic																																								
3740 M	3710*	LG Basic																																								
3740 M	3750	LG Basic																																								
6040 M	3035	Pro(39E),Supra, LGA																																								
6040 M	3125	Pro(39E),Supra, LGA																																								
6040 M	3190	Pro(39E),Supra, LGA																																								
6040 M	3710*	Pro(39E),Supra, LGA																																								
6040 M	3750	Pro(39E),Supra, LGA																																								
6040 M	3750K	Pro(39E),Supra, LGA																																								
6040 M	8130*	Pro(39E),Supra, LGA																																								
<p><b>Kaba Mauer GmbH,</b> Heiligenhaus/DE</p> <p><b>Code-Combi B (ECL, KL/RS)</b> (with mechanical emergency lock) Typen: 82 132 Code Combi B and 82132 Combi B30 (with software version:CB30 Rev. 2)</p>	<p>537303/HSL03-17D</p>	<p><b>B</b></p>	<p>[</p>																																							
<p><b>LEM S.r.l.,</b> Gerenzano (VA) / IT</p> <p><b>HAL 600 (ECL)</b></p>	<p>070329/HSL13-01</p>	<p><b>B</b></p>	<p>[</p>																																							
<p><b>M-Locks BV,</b> Doetinchem/NL</p> <p><b>EM1620 (DirectDrive) (ECL)</b> with input units AL20XX, AL30XX, BR50XX, DE20XX, EC10XX. EC40XX, EK50XX, ST40XX, T65XX, T75XX, T85XX</p> <p><b>EM20XX (Rotobolt) (ECL)</b> Types EM2020. EM2050 with input units AL20XX, AL30XX, BR50XX, DE20XX, EC10XX. EC40XX, EK50XX, ST40XX, T65XX, T75XX, T85XX Type EM2060 with input unit Leader</p> <p><b>EM35XX (Straight Bolt) (ECL)</b> Types EM2020. EM2050 with input units AL20XX, AL30XX, BR50XX, DE20XX, EC10XX. EC40XX, EK50XX, ST40XX, T65XX, T75XX, T85XX Type EM2060 with input unit Leader</p>	<p>1007/HSL10-01A</p> <p>1007/HSL10-02A</p> <p>1007/HSL10-04A</p>	<p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>∠</p> <p>[</p>																																							
<p><b>Nanjing Easthouse Electrical Co.Ltd.,</b> Nanjing/CN</p> <p><b>EL-0601 (ECL)</b> input unit: EC-0601A-II</p> <p><b>EL-0601-S (ECL)</b> input unit: EC-0601A-II</p>	<p>1406/HSL14-01</p> <p>1406/HSL14-02</p>	<p><b>B</b></p> <p><b>B</b></p>	<p>∠</p> <p>∠</p>																																							

	EL-0901 (ECL) <sup>1)</sup> input unit: EC-0601A-II Lock mainly for safe deposit lockers	1406/HSL16-01	<b>B</b>	other
	EL-0701 (ECL) input unit: EC-0601A-II	1406/HSL14-04	<b>B</b>	[
<b>Promet Safe, Ltd.,</b> Kazanlak/BG	PS-600 (ECL)	0906/HSL15-01	<b>B</b>	∠
	PS-610 (ECL)	0906/HSL16-01	<b>B</b>	∠
<b>Promet NPO, Ltd. ,</b> Moscow/RU	PS-600 (ECL)	0907/HSL12-01B	<b>B</b>	∠
	PS-610 (ECL)	0907/HSL16-01	<b>B</b>	∠
<b>SAFECOR GmbH,</b> Ahrensburg/DE	TwinLock compact 7260(ECL/RS) Models: eCode, WTU and pro	1107/HSL11-01A	<b>B</b>	[
	TwinLock 7260 ProtectMaster (ECL/RS)	1107/HSL11-02A	<b>B</b>	[
<b>Sargent and Greenleaf, Inc.</b> Nicholasville, Kentucky/US	Titan 2007 DDrive (ECL) Input units: 6130-2XX, 6130-3XX, 6130-31X	1503/HSL16-01	<b>B</b>	[
	Titan 2006 Pivotbolt (ECL) Input units: 6120-2XX, 6130-40X, 61KP-2XX, 6120-42X and 6160-2XX	1503/HSL16-02	<b>B</b>	∠
<b>SECU,</b> <b>Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-B (ECL)	071302/HSL05-01C	<b>B</b>	[
	SELO-B 2 (ECL)	071302/HSL11-01A	<b>B</b>	[
	SELO-BFE 2 (ECL)	071302/HSL11-02A	<b>B</b>	[
	SELO-BR (ECL/RS)	071302/HSL07-02B	<b>B</b>	[
<b>SGSG Science &amp; Technology Co., Ltd.</b> Zhuhai, Guangdong/CN	HJ-L1110-20 (ECL) Input units: LC111020	1605/HSL16-01	<b>B</b>	[

**Certified locks of other accredited bodies:**

<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS E9	(ECL, PS)	no ECB•S certificate	B
	TRSE 6000	(ECL)	no ECB•S certificate	B
<b>certification expires in fingerprint only setting. TRSE 6000 FP not permitted</b>				
<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series EloStar	(ECL)	no ECB•S certificate	B
	Types: 7215 7217 (with mechanical emergency lock 1821) Models: simplex, pro, time and multilock			
	Series Wittkopp 7215/7217	(ECL)	no ECB•S certificate	B
	7217 with mechanical emergency opening switch of type 1821			
	Series Wittkopp 7250	(ECL)	no ECB•S certificate	B
	Series Wittkopp 7260	(ECL, RS)	no ECB•S certificate	B
<b>dormakaba Schweiz AG,</b> Wetzikon/CH	Questor	(ECL)	no ECB•S certificate	B
<b>GST Gebäude-Sicherheits- technik Vertriebs GmbH,</b> Kassel/DE	Series DFS	(ECL)	no ECB•S certificate	B
	Models: DFS-S, DFS-S plus, DFS-SA			
	SOLAR	(ECL)	no ECB•S certificate	B
<b>Gunnebo Cash Automation GmbH,</b> Trier/DE	SafeLock B	(ECL)	no ECB•S certificate	B
	Models: SafeLock B-one			
	SafeLock B-one R	(RS)		
	SafeLock B-2			
	SafeLock B-2R	(RS)		
<b>Gunnebo Deutschland GmbH,</b> Garching/DE	GANOX (with keypad) (also recognized as actuator for burglar alarm systems)	(ECL/RS)	no ECB•S certificate	B



<b>IDIPS,</b> La Celle Saint Cloud/FR	HORE410/HORO710 (ECL) Input units: H400 /C /SC /B	no ECB•S certificate	B
	HORE410ZL/HORO710ZL (ECL) Input units: H400 /C /SC /B	no ECB•S certificate	B
	HORE410DB/HORO710DB (ECL) Input units: H410 /C /SC /B (adapter NL2600 requested)	no ECB•S certificate	B
<b>INSYS Microelectronics GmbH,</b> Regensburg/DE	EloStar 7215 (ECL) Models: Simplex, Pro, time, multilock	no ECB•S certificate	B
	EloStar 7217 (ECL) Models: Simplex, Pro, time, multilock, Gunsafes, Master and BioMaster	no ECB•S certificate	B
<b>Intergard LLC,</b> Sunrise, Florida/US	EM2039-IG (ECL) with input units: 3125 and Delta 2	no ECB•S certificate	B

<p><b>Kaba Mas LLC,</b> Lexington, Kentucky/US</p>	<p>Cencon MDB (Motorized Dead Bolt) (ECL)</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>LA GARD Swingbolt (ECL) lock types (input unit/lock): 3000/4200M, 3035/4200M, 3047/4200M, 3190/4200M, 3710/4200M, 3715/4200M, 3750/4200M, 3810/4200M, 3815/4200M, 4715/4200M, 5150/4200M, 5750/4200M, 82869/4200M with Software 3800 Dual Control, 3802 LGB (LG Basic) und 3803 LGB+ (LG Basic Plus)</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>3035/4300M, 3047/4300M, 3125/4300M, 3190/4300M, 3710/4300M, 3750/4300M, 3750K/4300M, 8130/4300M, 82869/4300M with Software 39E(Pro) and 66E LGA (LG Audit) Optional with the external battery boxes 4002 or 2789-NC Optional blocking resp. release of the lock by the system LYW PL2014</p>		
	<p>AUDITCON 2100 D (ECL)</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>AUDITCON 2 (ECL) Types: 52, T52, 252 and 552</p>	<p>no ECB•S certificate</p>	<p>B</p>
<p><b>Lock Your World GmbH &amp; Co. KG,</b> Bad Orb/DE</p>	<p>PL2010 (EKL)</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>PL2014-V44</p>	<p>no ECB•S certificate</p>	<p>B</p>
<p><b>Lock Technology,</b> VR Uift/NL</p>	<p>EM30.20/EM30.50 and EM30.60 Motorschloss (ECL) with input units ST40.XX, EC10.XX, EC 40.XX, EK 50.XX, AL20.XX, AL30.XX, PI20.XX, PI30.XX and "Leader"</p>	<p>no ECB•S certificate</p>	<p>B</p>
	<p>EM20.20, EM20.50 and EM20.60 Rotobolt (ECL) with input units ST40.XX, EC10.XX, EC 40.XX, EK 50.XX, AL20.XX, AL30.XX, PI20.XX, PI30.XX and "Leader"</p>	<p>no ECB•S certificate</p>	<p>B</p>

	<p>EM35.20, EM35.50 and EM35.60 (Straight Bolt) (ECL) with input units AL20.XX (Alpha), BR50.XX (Bravo) DE 20.XX (Delta), PI20.XX, PI30.XX and "Leader"</p> <p>Universal Rotobolt (UR40.20, UR 40.50) (ECL) with input units ST40.XX, EC 40.XX, EK 50.XX, AL20.XX, AL30.XX, PI20.XX, PI30.XX and "Leader"</p> <p>Duet (DL40.20, DL40-50, DL40-60) (ECL, CL) with integrated combination lock as override</p>	no ECB•S certificate	B
		no ECB•S certificate	B
		no ECB•S certificate	B
<b>M-Locks BV,</b> Doetinchem /NL	EM3020 / EM3050 / EM3060 (Motorschloss) (ECL) with input units St40XX, EC10XX, EC40XX, EK50XX, AL20XX, AL30XX, BR50XX, DE20XX, T65XX, T75XX und T85XX EM3060 with Leader input unit	no ECB•S certificate	B
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	<p>6124 (ECL)</p> <p>6125 (ECL)</p> <p>6126 (ECL)</p> <p>6127 (ECL)</p> <p>6128 (ECL)</p> <p>6129 (ECL)</p> <p>Spartan 1006 Privotbolt (ECL)</p> <p>Spartan 1007 DDrive (ECL)</p> <p>3006 Pivotbolt (ECL)</p> <p>3007 DirectDrive (ECL)</p>	no ECB•S certificate	<p>B</p> <p>B</p> <p>B</p> <p>B</p> <p>B</p> <p>B</p> <p>B</p> <p>B</p> <p>B</p> <p>B</p>
<b>SecuRam Systems Inc.,</b> Oxnard/US	<p>EL-0601-S (ECL)</p> <p>EL-0701 (ECL)</p> <p>EL-0901 (ECL) <sup>1)</sup></p> <p>EL-0601 (ECL)</p>	no ECB•S certificate	<p>B</p> <p>B</p> <p>B</p> <p>B</p>
<b>Stockinger Safety First Class GmbH,</b> Neuried/DE	Stocktronic (ECL/RS) <sup>1)</sup>	no ECB•S certificate	B

<b>Steinbach &amp; Vollmann GmbH &amp; Co. KG,</b> Heiligenhaus/DE	TULOX (ECL)	no ECB•S certificate	B
<b>TECNOSICUREZZA s.r.l.,</b> Verona/IT	EM 20.20 and EM20.50 (Rotobolt) (ECL) input units: ST40.XX, EC10.XX, EC40.XX, EK50.XX, AL20.XX, AL30.XX (Type EM20.20-TD with time delay)	no ECB•S certificate	B
	EM 35.20 and EM 35.50 (Straight Bolt) (ECL)	no ECB•S certificate	B
	EM 6050 (ECL)	no ECB•S certificate	B
	DigiTech (ECL)	no ECB•S certificate	B
	TechMaster (ECL) Types: T5300 (Rotobolt) and T5300/D (Straightbolt), T5300/M (Motorlock), T9530/OVR (Motorlock with Emergency Board) input units: T9530 (Standard), T9530R (Rotating), T9530DL (Dallas Chip), T9530RDL (Rotating with Dallas Chip)	no ECB•S certificate	B
	MiniTech (ECL)	no ECB•S certificate	B

## 4 Class C locks

4.1 Mechanical key locks (KL)	Model	ECB•S Certificate	EN 1300/ bolt	
<b>Gunnebo Bazancourt S.A.S.</b> , Bazancourt/FR	MxB-C	0440/HSL04-04C	<b>C</b>	[
<b>Kaba Mauer GmbH</b> , Heiligenhaus/DE	70011 Primus C	537303/HSL03-18D	<b>C</b>	[
<b>Lebtig Schließtechnik GmbH &amp; Co. KG.</b> Bötzingen/DE	2374 - EuroNovum	1109/HSL11-04A	<b>C</b>	C
	2375 - EuroNovum	1109/HSL11-05A	<b>C</b>	[
<b>SECU Sicherheitsprodukte GmbH</b> , Meinerzhagen/DE	S 6500	071302/HSL03-07D	<b>C</b>	[

### ***Certified locks of other accredited bodies:***

<b>ASSA OEM AB</b> , Mölnlycke/SE	FAS 6990	no ECB•S certificate	<b>C</b>	
<b>Carl Wittkopp GmbH</b> , Velbert/DE	1824	no ECB•S certificate	<b>C</b>	
<b>Sargent &amp; Greenleaf Inc.</b> , Nicholasville, Kentucky/US	6890 (Code changeable)	no ECB•S certificate	<b>C</b>	
<b>Steinbach &amp; Vollmann GmbH &amp; Co. KG</b> , Heiligenhaus/DE	IVOX, 4.19.98	no ECB•S certificate	<b>C</b>	

4.2 Mechanical code locks (CL)	Model	ECB•S Certificate	EN 1300/ Bolt	
<b>Gunnebo Bazancourt S.A.S.,</b> Bazancourt/FR	MONEO EN C (PS, AS, IND) <sup>1)</sup>	0440/HSL04-05C	<b>C</b>	other

**Certified locks of other accredited bodies:**

<b>KABA MAS LLC,</b> Lexington, Kentucky/USA	LA GARD 1947 (PS) (with setting knob kit type 1731)	no ECB•S certificate	<b>C</b>	
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	3055 (PS) <sup>1)</sup> (with setting knob kit type 3104; version 3097...31 with bolt contact)	no ECB•S certificate	<b>C</b>	
	3097 (PS) (with setting knob kit type 3104; version 3097...31 with bolt contact)	no ECB•S certificate	<b>C</b>	
	3019 (PS) <sup>1)</sup> Emergency opening system using the permutation lock type 3055 class C); with setting knob kit type 3104 or 3109)	no ECB•S certificate	<b>C</b>	
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	6643-100 (PS) with setting knob kit featuring visual privacy protection	no ECB•S certificate	<b>C</b>	

4.3 Electronic locks (EKL/ECL)	Model	ECB•S Certificate	EN 1300/ Bolt	
<b>Carl Wittkopp GmbH,</b> Velbert/DE	Gator 8000 (ECL) input unit: Gator DF	1210/HSL16-05	<b>C</b>	[
<b>dormakaba Schweiz AG,</b> Wetzikon/CH	PAXOS COMPACT (ECL/RS) (with setting knob input) (also recognized as actuator for burglar alarm systems)	072232/HSL03-03C	<b>C</b>	[
	PAXOS Advance (ECL/RS) (with setting knob input)	072232/HSL13-02	<b>C</b>	[
<b>Gunnebo Cash Automation GmbH,</b> Trier/DE	SafeLock C (ECL/RS) Types: SafeLock C-one R SafeLock C-2R SafeLock C-3R	5254/HSL07-02B	<b>C</b>	[
<b>Gunnebo Electronic Security SAS,</b> Baldenheim/FR	GSL 1000 C (ECL) type GSL 1031-C with input unit GSL IU 1030-C (standard) type GSL 1032-C with input unit GSL IU 1030-C (standard) type GSL 1033-C with input unit GSL IU 1030-C (standard) type GSL 1041-C with input unit GSL IU 1040-C (fingerprint) type GSL 1042-C with input unit GSL IU 1040-C (fingerprint) type GSL 1043-C with input unit GSL IU 1040-C (fingerprint) <b>Certification expires in fingerprint only setting</b>	0807/HSL09-02C	<b>C</b>	[
<b>INSYS Microelectronics GmbH,</b> Regensburg/DE	TwinLock C (ECL) types / input units TwinLock C700 BioPin / FlatControl BioPin C, TwinLock C700 Business S /FlatControl Business C TwinLock C700 WTU / FlatControl WTU (optional with network connection) ( <i>supersedes TwinLock 7220 versions</i> )	0908/HSL14-05	<b>C</b>	[
<b>SAFECOR GmbH,</b> Ahrensburg/DE	TwinLock 7220(ECL/RS)	1107/HSL11-03A	<b>C</b>	[
	TwinLock 7220 ProtectMaster (ECL/RS)	1107/HSL11-04A	<b>C</b>	[
<b>SECU Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-C (ECL/RS)	071302/HSL95-03C	<b>C</b>	[

**Certified locks of other accredited bodies:**

<b>Carl Wittkopp GmbH,</b> Velbert/DE	Wittkopp 7220	(ECL/RS)	no ECB•S certificate	C
<b>Gunnebo Cash Automation GmbH,</b> Trier/DE	SafeLock C	(ECL/RS)	no ECB•S certificate	C
<b>Gunnebo Deutschland GmbH,</b> Garching/DE	GANOX (with setting knob input) (also recognized as actuator for burglar alarm systems)	(ECL/RS)	no ECB•S certificate	C
<b>Lock Your World GmbH &amp; Co.KG</b> Bad Orb/DE	PL3014-V44		no ECB•S certificate	C

**5 Class D locks**

<b>5.1 Electronic locks (EKL/ECL)</b>	<b>Model</b>		<b>ECB•S Certificate</b>	<b>EN 1300/ Bolt</b>	
<b>Carl Wittkopp GmbH</b> Velbert/DE	Gator 9000 Models: SafeLock D-2R SafeLock D-3R	(ECL/RS)	5254/HSL07-03B	<b>D</b>	[
<b>dormakaba Schweiz AG,</b> Wetzikon/CH	PAXOS COMPACT (with setting knob input) (also recognized as actuator for burglar alarm systems)	(ECL/RS)	072232/HSL03-04C	<b>D</b>	[
	PAXOS Advance (with setting knob input)	(ECL/RS)	072232/HSL15-05	<b>D</b>	[
<b>SECU Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-D	(ECL/RS)	071302/HSL05-03C	<b>D</b>	[

**Certified locks of other accredited bodies:**

<b>Gunnebo Cash Automation GmbH,</b> Trier/DE	SafeLock D	(ECL/RS)	no ECB•S certificate	D
<b>Gunnebo Deutschland GmbH,</b> Garching/DE	GANOX (mit Drehknopfeingabe) (also recognized as actuator for burglar alarm systems)	(ECL/RS)	no ECB•S certificate	D



**INSYS MICROELECTRONICS  
GmbH,**  
Regensburg/DE

TwinLock D

(ECL/RS)

no ECB•S  
certificate

D

## 6 List of suppliers

---

ASSA OEM AB  
Akarevägen 1  
43533 Mölnlycke  
SWEDEN

Fon.: +46317044000  
Fax: +46317044000  
e-Mail: kundservice.gbg@assaabloy.com  
Internet: www.assaodem.se

---

BAUSSA Industrias de Seguridad  
Ctra. De Plencia 5  
Apartado No. 30  
48100 Munica, Vizcaya  
SPAIN

Fon.: +34 946 74 90 99  
Fax: +34 976 74 05 62  
e-Mail: info@baussa.com  
Internet: www.baussa.com

---

Bordogna S.p.A.  
Viale Europa, 37  
25036 Palazzolo Sull'Oglio (Brescia)  
ITALY

Fon: +39 030 7 40 60 11  
Fax: +39 030 7 40 16 49  
e-Mail: info@bordogna.com  
Internet: www.bordogna.com

---

Burg-Wächter KG  
Altenhofer Weg 15  
58300 Wetter (Ruhr)  
GERMANY

Fon: +49 23 58 9 05-0  
Fax: +49 23 58 9 05-1 00  
e-Mail: info@burg.biz  
Internet: www.burg.biz

---

Carl Wittkopp GmbH  
Konrad-Zuse-Str. 5  
42551 Velbert  
GERMANY

Fon.: +49 20 51 95 66-0  
Fax: +49 20 51 95 66-66  
e-Mail: info@carl-wittkopp.com  
Internet: www.carl-wittkopp.com

---

Conforti S.p.A.  
Viale del Lavoro, 13  
37036 San Martino Buon Albergo (VR)  
ITALY

Fon.: +39 045 8 87 73 29  
Fax: +39 045 8 79 60 43  
e-Mail: conforti@conforti.it  
Internet: www.conforti.it

---

dormakaba Schweiz AG  
Mühlebühlstraße 23  
8620 Wetzikon  
SWITZERLAND

Fon.: +41 1 9 31-61 11  
Fax: +41 1 9 31-63 85  
e-Mail: info.ch@dormakaba.com  
Internet: www.dormakaba.com

---

Euro-Locks Sp. z.o.o.  
ul. Pawla 29  
41708 Ruda Slaska  
POLAND

Fon.: +48 32 344 78 83  
Fax: +48 32 344 78 74  
e-Mail: sekretariat@euro-locks.pl  
Internet: www.euro-locks.pl

---

---

GST Gebäude-Sicherheitstechnik  
Vertriebs GmbH  
Lilienthalstr. 25  
34123 Kassel  
GERMANY

Fon: +49 56 15 8 98 90-0  
Fax: +49 56 15 8 98 90-99  
e-Mail: [vertrieb@gst-tresore.de](mailto:vertrieb@gst-tresore.de)  
Internet: [www.gst-tresore.de](http://www.gst-tresore.de)

---

Gunnebo Bazancourt S.A.S.  
B.P. 1  
51110 Bazancourt  
FRANCE

Fon: +33 3 26 91 44 44  
Fax: +33 3 26 91 44 45  
e-Mail: [Thierry.Estienne@gunnebo.com](mailto:Thierry.Estienne@gunnebo.com)  
Internet: [www.gunnebo.com](http://www.gunnebo.com)

---

Gunnebo Cash Automation GmbH  
Metternichstr. 29  
54294 Trier  
GERMANY

Fon: +49 651 8 27 25 0  
Fax: +49 651 8 27 25 15  
e-Mail: [sales.cashautomation@gunnebo.com](mailto:sales.cashautomation@gunnebo.com)  
Internet: [www.gunnebo.com](http://www.gunnebo.com)

---

Gunnebo Deutschland GmbH  
Carl-Zeiss-Str. 8  
85748 Garching  
GERMANY

Fon: +49 89 24416 3500  
Fax: +49 89 95 96-2 00  
e-Mail: [info@gunnebo.de](mailto:info@gunnebo.de)  
Internet: [www.gunnebo.de](http://www.gunnebo.de)

---

Gunnebo Electronic Security SAS  
23, route de Schwobsheim  
67600 Baldenheim  
FRANCE

Fon: +33 3 88 85 06 06  
Fax: +33 3 88 85 3776  
e-Mail: [info@gunnebo.fr](mailto:info@gunnebo.fr)  
Internet: [www.gunnebo.com](http://www.gunnebo.com)

---

IDIPS  
13 Avenue Gabriel  
78170 La Celle Saint Clud  
France

Fon.: +33 1 3918 1212  
e-Mail: [comercial@idips.com](mailto:comercial@idips.com)  
Internet: [www.idips.com](http://www.idips.com)

---

INSYS locks  
A brand of INSYS MICROELECTRONICS  
Hermann-Köhl-Str. 22  
93049 Regensburg  
GERMANY

Fon: +49 941 5 86 92-0  
Fax: +49 941 5 86 92-45  
e-Mail: [insys@insys-locks.de](mailto:insys@insys-locks.de)  
Internet: [www.insys-locks.de](http://www.insys-locks.de)

---

Intergard LLC  
771 Shotgun Road  
Sunrise, FL 33326  
USA

Fon: +1 954 476 55 74  
Fax: +1 964 476 55 76

---

JUWEL SRL  
Via1. Maggio 3/E  
20010 Vanzango (Milano)  
ITALY

Fon: +39 02 934 7441  
Fax: +39 02 935 70804  
e-mail: info@juwel.it  
Internet: www.juwel.it

---

Kaba Mas LLC  
749 West Short Street  
Lexington, KY 40508-1200  
USA

Fon: +1 859-253 4744 184  
Fax: +1 859-255 02 66  
e-Mail: customerservice@kml.kaba.com  
Internet: www.kaba-mas.com

---

Kaba Mauer GmbH  
Frankenstraße 8 – 12  
42579 Heiligenhaus  
GERMANY

Fon: +49 20 56 5 96-0  
Fax: +49 20 56 5 96-1 39  
e-Mail: info@kmh.kaba.com  
Internet: www.kaba-mauer.de

---

Lebtig Schließtechnik GmbH & Co. KG  
Schlossmattenstr. 1  
79268 Bötzingen  
GERMANY

Fon: +49 76 63 60 73-0  
Fax: +49 76 63 60 73-23  
e-Mail: info@lebtig.de  
Internet: www.lebtig.de

---

LEM S.r.l  
Via per Uboldo. 48  
21040 Gerenzano  
ITALY

Fon: +39 02 96 87 04 01  
Fax: +39 02 9 68 27 96  
e-Mail: lem@lemlocks.it  
Internet: www.lemlocks.it

---

Lock Technology  
Maasstraat 10A  
7071 VR Uift  
NETHERLANDS

Fon: +31 314 63 22 55  
Fax: +31 314 63 23 72  
e-Mail: info@nllock.com  
www.nllock.com

---

Lock Your World GmbH & Co. KG  
Gewerbestr. 5  
63619 Bad Orb  
GERMANY

Fon.: +49 6052 912 808-0  
Fax: +49 6052 912 808-5 00  
e-Mail: info@LockYourWorld.com  
Internet: www.LockYourWorld.com

---

M-Locks BV  
Vlijtstraat 40  
7005 BN Doetinchem  
NETHERLANDS

Fon: +31 314 37 68 76  
Fax: +31 314 37 68 78  
e-Mail: info@m-locks.com  
Internet: www.m-locks.com

---

Nanjing Easthouse Electrical Co., Ltd  
No. 27 Puzhou Road, Pukou District  
210032 Nanjing  
PEOPLES REPUBLIC OF CHINA

Fon: +86 25 86553388  
Fax: +86 25 52638736  
e-Mail: info@easthouse.net  
Internet: www.easthouse.net

---

---

Promet NPO, Ltd.  
Village Sosenki, 114,  
Community Sosenskoe  
Leninsky District, Vidnoe  
142791 Moscow  
RUSSIAN FEDERATION

Fon: +7 495 7 77 48 38  
Fax: +7 495 7 77 48 85  
e-Mail: ep@promet-safe.com  
Internet: www.safe.ru

---

Promet Safe, Ltd.  
60 Rozova Dolina St.  
6100 Kazanlak  
BULGARIA

Tel.:+359 2 934 98 20  
Fax:+359 2 998 26 70  
e-Mail: bgexport@promet-safe.com  
Internet: www.safe-bg.com

---

Safecor GmbH  
An der Strusbek 28  
22926 Ahrensburg  
GERMANY

Fon: +49 40 8668 7410  
Fax: +49 40 8668 7412  
e-Mail: info@safecor.de  
Internet: www.safecor.de

---

Sargent & Greenleaf, Inc.  
Stanley Security Solutions, Inc.  
1 Security Drive  
Nicholasville, KY 40356  
USA

Fon: +41 21 694.34.02  
e-Mail: Sylvano.Montano@sbdinc.com  
Internet: www.sargentandgreenleaf.com

---

SECU Sicherheitsprodukte GmbH  
Wormgermühle  
58540 Meinerzhagen  
GERMANY

Fon: +49 23 58 9 05-2 80  
Fax: +49 23 58 9 05-2 99  
e-Mail: mail@secu.biz  
Internet: www.secu-gmbh.de

---

SecuRam Systems Inc.  
1899 N Rice Ave., Suite 205  
Oxnard, CA 93030  
USA

Tel.: +1805 988 8088  
Fax: + 1805 988 1580  
Internet: www.securamsys.com

---

SGSG Science & Technology., Ltd.  
3rd floor, Block A3, No.1  
Software Park Road,  
State Hightech Zone  
519085 Zhuhai, Guangdong  
PEOPLES REPUBLIC OF CHINA

Fon.: +86 756 323 6673  
Fax: +86 756 323 6667  
Internet: www.sgsg.cc

---

Shenzhen City Zhishengyu  
Fine Metal Plastic Co, Ltd.  
3rd Floor Building E, Urban Construction  
Industrial Zone, Fenghu  
518103 Shenzhen, Guangdong  
PEOPLES REPUBLIC OF CHINA

Fon.: +86 755 8259 2784  
Fon: +86 755 8146 1265  
Internet:  
<http://chy3656242.diytrade.com/sdp/955464/4/main-4749855/0.html>

---

Steinbach & Vollmann GmbH & Co.KG  
Parkstraße 11  
42579 Heiligenhaus  
GERMANY

Fon: +49 20 56 14-0  
Fax: +49 20 56 14-2 51  
e-Mail: info@stuv.de  
Internet: www.stuv.de

---

Stockinger Safety First Class GmbH  
Eichenstr. 15  
82061 Neuried  
GERMANY

Fon: +49 89 75 90 58 28  
Fax: +49 89 75 90 58 30  
e-Mail: info@stockinger.com  
Internet: www.stockinger.com

---

Talleres AGA S.A.  
Notario Etxagibel 6  
20500 Arrasate-Mondragon, Gipuzkoa  
SPAIN

Fon: +34 943 790 922  
Fax: +34 943 790 976  
e-Mail: talleresaga@aga.es  
Internet: www.aga.es

---

TECNOSICUREZZA s.r.l.  
Via Cesare Battisti 276  
37057 Verona  
ITALY

Fon: +39 045 826 64 70  
Fax: +39 045 826 64 69  
Internet: www.tecosicurezza.it

---

Michael J. Walsh & Associates, Inc.  
Big Red Safe Locks  
P.O. Box 377  
13673 Sprague River Road  
97 624-0377 Chiloquin OR  
USA

Fon.: +1 541 533 2403  
Fax: +1 760 746 5636  
e-Mail: bigred@bigredsafelocks.com  
Internet: www.bigredsafelocks.com

---