



To replace  
March 2019  
version

# LOCK GUIDE

ECB-S R01

## Contents

1	Scope .....	2
2	Class A locks .....	4
3	Class B locks .....	8
4	Class C locks .....	20
5	Class D locks .....	22
6	List of suppliers.....	24

Edited by:  
European Certification Body GmbH  
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany

## 1 Scope

The lock guide is applicable for the following certified ECB•S products:

- Secure cabinets according to EN 14450
- Safes, ATM safes and strongroom doors according to EN 1143-1
- Deposit systems (deposit safes and night safes) according to EN 1143-2

**ECB•S certified secure storage units shall exclusively be equipped with high security locks according to EN 1300 which are listed both in the approved technical documentation (Annex to the certificate) and in the lock guide ECB•S R01. The mounting instruction of the listed locks have to be followed when used in a certified secure storage unit.**

In the lock guide, the following locks are classified:

- Mechanical key locks (KL)
- Mechanical code locks (CL)
- Electronical locks (EKL – Electronic token/key locks; ECL – Electronical code locks)

Additional abbreviations:

- PS: Picking protection
- AS: Automatic scrambling
- IND: Indirect drive
- RS: Redundant system
- <sup>1)</sup> Mounting dimensions not according to the informative Annex D of EN 1300:2018

Bolt design:

- [ Dead bolt, square bolt, straight bolt etc.
- ⊂ Flat bolt
- ∟ Swing bolt, roto bolt etc.

Please consider: The bolt dimensions are only generalized and categorized, e.g. "flat bolt" locks may differ in size and shape from each other. This lock guide does not express that all the listed locks are interchangeable.

Further features of the ECB•S certified locks are listed in the electronic product locator at [www.ecb-s.com](http://www.ecb-s.com).

The column "ECB•S certificate" shows the current certificate number. In product specific locks lists the last letter may be replaced with an "x". For instance "9696/HSL09-08B" may be shown as "9696/HSL09-08x" in product specific lock lists.

In addition to the ECB•S certified high-security locks, it is also permitted to install certified locks from other accredited certification bodies in ECB•S certified secure storage units. These are on the one hand the „locks in black font“ listed here which have also a „certification label“ from another accredited certification body or the locks listed here in „grey font“. When using the locks listed from other accredited certification bodies, the secure storage unit manufacturer is obliged to obtain proof of

compliance with the relevant class(es) in accordance with the EN 1300 from the lock manufacturer and to make this available on a permanent basis. Locks from other certification bodies must also be approved in the certificate of the secure storage unit (see annex of ECB•S certificate).

## 2 Class A locks

2.1 Mechanical key locks (KL)	Model	ECB•S certificate	EN 1300/ Bolt	
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS 11 <sup>1)</sup>	0061/HSL03-02F	<b>A</b>	C
<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series 2600, Types: 2608 <sup>1)</sup> 2618 2628 <sup>1)</sup> 2648 Optima	1210/HSL12-01B	<b>A</b>	C [ other [
<b>dormakaba EAD GmbH,</b> Werk SAL, Velbert/DE	70091/70092 (Variator A) (Code changeable)  71111 (President A)  73042 (Tricontus A) <sup>1)</sup>  74041 (Centurio A) <sup>1)</sup>  74046 (Centurio A Plus) <sup>1)</sup>	537303/HSL03-01E  537303/HSL03-02E  537303/HSL03-03E  537303/HSL03-04E  537303/HSL03-05E	<b>A</b>  <b>A</b>  <b>A</b>  <b>A</b>  <b>A</b>	[  [  other  C  C
<b>FICHET BAUCHE,</b> Bazancourt/FR	MxB-A	0440/HSL04-02E	<b>A</b>	[
<b>SECU</b> <b>Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	S 1000  S 2700 U (Code changeable)	071302/HSL03-01F  071302/HSL03-02E	<b>A</b>  <b>A</b>	C  [
<b>Stark S.r.l.</b> Vovellara/IT	10020xF Types: 100200F, 100201F, 100202F, 100203F, 100204F, 100205F, 100206F and 100207F	1904/HSL21-02	<b>A</b>	

**Certified locks of other accredited bodies:**

<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series 1600 <sup>1)</sup>	no ECB•S Certificate	A
	Types: 1609 1619 1629 (with control lock) 1639 (with integrated electronic time delay system)		
	1819	no ECB•S certificate	A
	4.19.92	no ECB•S certificate	A
	IVOX 4.19.95	no ECB•S certificate	A
<b>Euro-Lock Sp. Z o.o.,</b> Ruda Slaska/GB	3007/3012	no ECB•S certificate	A
<b>dormakaba EAD GmbH,</b> Werk SAL, Velbert/DE	78091 <sup>1)</sup>	no ECB•S certificate	A
<b>Shenzhen City Zhishengyu Fine Metal Plastic Co, Ltd.</b> Shenzhen, Guangdong/CN	ZSY-03 (Code changeable)	no ECB•S certificate	A
<b>Talleres AGA S.A.,</b> Arrasate-Mondragon/ES	0246 and 0248	no ECB•S certificate	A
	0236 (Code changeable)	no ECB•S certificate	A

2.2 Mechanical code locks (CL) Model	ECB•S Certificate	EN 1300/ Bolt
<p><b>dormakaba USA Inc.,</b> Lexington, Kentucky/US</p> <p><b>LA GARD 3390S (PS)</b> Types:3390SZA, 3390SZC, 3390SZD, 3390SZE, 3390SZG, 3390SZK, 3390SZM, 3390SZN former name 3390EX</p>	<p>538102/HSL09-03B</p>	<p><b>A</b> [</p>
<p><b><i>Certified locks of other accredited bodies:</i></b></p>		
<p><b>dormakaba USA Inc.,</b> Lexington, Kentucky/US</p> <p><b>LA GARD 3330-1</b></p>	<p>no ECB•S certificate</p>	<p>A</p>
<p><b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE</p> <p><b>3095</b></p>	<p>no ECB•S certificate</p>	<p>A</p>
<p><b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US</p> <p><b>Series 6641</b> Types: -001, -002, -003, 004</p> <p><b>Series 6651 (PS)</b> Types: -001, -009, -010, -011, -013, -014, -015, -016, -017, -100, -101, -105, -111</p> <p><b>Series 6730</b> Types: -004, -007, -009, -010, -011, -013, -014, -017, -024, -037, -038, -043, -046, -065, -075, -090, -100, -101, -102, -103, -105, -106, -107, -111, -112, -113, -118, -125, -134, -135, -138, -142, -147, -149, -150, -156, -159, -163, -164, -166, -167</p> <p><b>Series 6741</b> Types: -001, -002, -004, -012, -013, -014, -019, -020, -023, -027, -028, -031, -039, -043, -047, -050, -054, -057, -058, -059, -060, -062, -065, -066, -106, -117, -118, -124, -125</p>	<p>no ECB•S certificate</p> <p>no ECB•S certificate</p> <p>no ECB•S certificate</p> <p>no ECB•S certificate</p>	<p>A</p> <p>A</p> <p>A</p> <p>A</p>
<p><b>Shenzhen City Zhishengyu Fine Metal Plastic Co, Ltd.</b> Shenzhen, Guangdong/CN</p> <p><b>ZSY-02A</b></p>	<p>no ECB•S certificate</p>	<p>A</p>

2.3 Electronic locks (EKL/ECL)	Model	ECB•S Certificate	EN 1300/ Bolt	
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRSE 10-2 (ECL)	0061/HSL19-01	<b>A</b>	[
<b>SECU Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	SELO-A (ECL)	071302/HSL07-01E	<b>A</b>	[
	SELO-A (single code option) (ECL)	071302/HSL18-01	<b>A</b>	[
	SELO-AB (ECL)	071302/HSL19-01	<b>A</b>	[
<b>Stark S.r.l.</b> Vovellara/IT	M01 (ECL) Types: 100251C, 100252C, 1002523, 1002524, 100255C, 100256C and 100257C	1904/HSL21-01	<b>A</b>	

**Certified locks of other accredited bodies:**

<b>Shenzhen City Zhishengyu Fine Metal Plastic Co, Ltd.</b> Shenzhen, Guangdong/CN	ZSY-04	no ECB•S certificate	<b>A</b>	
---	--------	----------------------	----------	--

### 3 Class B locks

3.1 Mechanical key locks (KL)	Model	ECB•S Certificate	EN 1300/ Bolt	
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS 22 (Code changeable)	0061/HSL03-01E	<b>B</b>	[
<b>Carl Wittkopp GmbH,</b> Velbert/DE	1821-1 (Standard)	1210/HSL12-03B	<b>B</b>	⊂
	1821-2 (with control lock)	1210/HSL12-03B	<b>B</b>	[
<b>Conforti SpA,</b> San Martino Buon Albergo/IT	ISN11D	1206/HSL12-01B	<b>B</b>	⊂
	PKL R1DF	1206/HSL13-01C	<b>B</b>	[
<b>dormakaba EAD GmbH,</b> Werk SAL, Velbert/DE	70040 Varos (changeable)	537303/HSL11-01C	<b>B</b>	[
	70076 (Variator B) (changeable)	537303/HSL03-11E	<b>B</b>	[
	70077 (Variator B) (changeable)	537303/HSL03-11E	<b>B</b>	[
	70079 (Praetor B) (changeable)	537303/HSL03-11E	<b>B</b>	[
	70211 to 70218 (E-Variator B) (code changeable key lock with electro-mechanical release and/or interlocking function) (changeable)	537303/HSL03-12C	<b>B</b>	[
<b>FICHET BAUCHE,</b> Bazancourt/FR	MxB-B	0440/HSL04-03E	<b>B</b>	[
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	2376 EuroNovum	1109/HSL11-06B	<b>B</b>	⊂
	2377 EuroNovum	1109/HSL11-07B	<b>B</b>	[
<b>M-Locks BV,</b> Doetinchem/NL	KL3909 (Code changeable)	1007/HSL15-01A	<b>B</b>	[
<b>SECU Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	S 4700 U (Code changeable)	071302/HSL03-04E	<b>B</b>	[



**Certified locks of other accredited bodies:**

<b>ASSA OEM AB</b> Eskilstuna/SE	FAS 6980 (Code changeable)	no ECB•S certificate	B
<b>Carl Wittkopp GmbH</b> Velbert/DE	4.19.94	no ECB•S certificate	B
	IVOX 4.19.97/4.19.97A	no ECB•S certificate	B
	RELOX	no ECB•S certificate	B
<b>Intergard LLC</b> Sunrise, Florida/US	KL39-09 (Code changeable)	no ECB•S certificate	B
<b>INNO SMART EQUIPMENTS</b> <b>CO. LTD</b> Guangzhou/CN	KL6179	no ECB•S certificate	B
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	6880 (Code changeable)	no ECB•S certificate	B
<b>Shenzhen City Zhishengyu</b> <b>Fine Metal Plastic Co, Ltd.</b> Shenzhen, Guangdong/CN	ZSY-03A (Code changeable)	no ECB•S certificate	B
<b>Talleres AGA S.A.,</b> Arrasate-Mondragon/ES	0247	no ECB•S certificate	B
	0237 (Code changeable)	no ECB•S certificate	B
<b>3.2 Mechanical code locks</b> <b>(CL)</b>	<b>Model</b>	<b>ECB•S</b> <b>Certificate</b>	<b>EN 1300/ Bolt</b>
<b>dormakaba USA Inc.,</b> Lexington, Kentucky/US	LA GARD 3390V (PS) Types: 3390 VZK (with bolt switching contact) 3390 VZN (without bolt switching contact)	538102/HSL09-07B	<b>B</b> [

<b>M-Locks BV,</b> Doetinchem/NL	ML6740 / ML6785 (PS) ML6740 with square spindle ML6785 with threaded spindle	1007/HSL10-06B	<b>B</b>	[
<b><i>Certified locks of other Accredited bodies:</i></b>				
<b>Intergard LLC,</b> Sunrise, Florida/US	ML67.40 / ML67.85 Typ ML67.40 with square spindle Typ ML67.85 with threaded spindle	no ECB•S certificate	<b>B</b>	
<b>dormakaba USA Inc.,</b> Lexington, Kentucky/US	LA GARD 1985 (PS)	no ECB•S certificate	<b>B</b>	
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE	3096 Types 3096...31 (with bolt contact)	no ECB•S certificate	<b>B</b>	
	3098 (PS) Types 3098...31 (with bolt contact)	no ECB•S certificate	<b>B</b>	
<b>Sargent &amp; Greenleaf Inc.,</b> Nicholasville, Kentucky/US	Series 6630 (PS) Types: -009, -010, -011, -012, -013, -014, -015, -016, -017, -024, -032, -046, -053, - 090, -127, -128, -150	no ECB•S certificate	<b>B</b>	
	Series 6642 Types: -001, -002, -004, -005, -006, -007, -008, -009, -010, -011	no ECB•S certificate	<b>B</b>	
	Series 6731 Types: -003, -004, -006, -013, -014, -016, - 017, -018, -,23 -025, -032, -033, -038, - 039, -111	no ECB•S certificate	<b>B</b>	
	Series 8550 (PS) Types: -002, -003, -004, -006, -007, -008, -009, -012, -017, -018, -021, -027, -028, - 029, -030, -032, -033, -034, -100	no ECB•S certificate	<b>B</b>	
<b>Shenzhen City Zhishengyu Fine Metal Plastic Co, Ltd.</b> Shenzhen, Guangdong/CN	ZSY-02B	no ECB•S certificate	<b>B</b>	

3.3 Electronic locks (EKL/ECL)	Model	ECB•S Certificate	EN 1300/ Bolt	
<b>BAUSSA Industrias de Seguridad,</b> Munguia (Vizcaya)/ES	Spider Pro (ECL)	1108/HSL11-01B	<b>B</b>	[
	Spider Com / Spider Pro Com (ECL)	1108/HSL14-01A	<b>B</b>	[
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRS E8 (ECL)	0061/HSL09-01D	<b>B</b>	[
	TRSE 12 (ECL) Modelle: TRSE 12 H TRSE 12 H FP TRSE 12 V FP	0061/HSL20-01	<b>B</b>	[
<b>Carl Wittkopp GmbH,</b> Velbert/DE	Series PRIMOR (ECL) Types:	1210/HSL12-04B	<b>B</b>	
	PRIMOR 1000 input units FL, FS, RO		<b>B</b>	∟
	PRIMOR 2000 input unit RO		<b>B</b>	[
	PRIMOR 3000 input units FL, FS, RO		<b>B</b>	[
	PRIMOR 3010 input units FL, FS, RO with connection to emergency lock N-1821		<b>B</b>	[
	PRIMOR 3011 input units FL, FS, RO with connection to emergency lock		<b>B</b>	[
	Series PRIMOR 100 (ECL) Input units RE and RO with various lock covers	1210/HSL16-07A	<b>B</b>	⊂
GATOR 2000 Input units Gator RO, Gator R, Gator DR	1210/HSL16-01A	<b>B</b>	[	
GATOR 3000/3010/3011 Types 3000, 3010 (with emergency lock N-1821) and 3011 (with emergency lock) Input units Gator FL, Gator FS, Gator RO, Gator F, Gator DF, Gator DS	1210/HSL16-02B	<b>B</b>	[	

	<p><b>GATOR 6000</b> Input units: Gator F, Gator DF, Gater DS</p> <p><b>ANCHOR 4x00</b> <sup>1)</sup> Types: ANCHOR 4000 and ANCHOR 4300</p>	<p>1210/HSL16-04B</p> <p>1210/HSL19-01</p>	<p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>[</p>
<p><b>dormakaba Schweiz AG,</b> Wetzikon/CH</p>	<p><b>PAXOS Advance IP</b> (ECL/RS) (with keypad input) (also recognized as actuator for burglar alarm systems)</p>	<p>072232/HSL14-01A</p>	<p><b>B</b></p>	<p>[</p>
	<p><b>Axessor</b> (ECL, IP) <b>Models/Input unit/replaces former:</b> <b>CIT/AXESSOR-CITIU/527 Questor</b> <b>IP/AXESSOR-IPIU/528 Axessor</b> <b>USB/AXESSOR-USBIU/525</b></p>	<p>072232/HSL16-01A</p>	<p><b>B</b></p>	<p>[</p>
<p><b>dormakaba USA Inc.,</b> Lexington, Kentucky/USA</p>	<p><b>Cencon</b> (ECL) Types: KU, KD, KI</p>	<p>538102/HSL04-02E</p>	<p><b>B</b></p>	<p>[</p>
	<p><b>Cencon SWB</b> (ECL)</p>	<p>538102/HSL12-01B</p>	<p><b>B</b></p>	<p>∠</p>
	<p><b>AUDITCON 2 Swingbolt</b> (ECL) Types: 52, T52, 252 und 552</p>	<p>538102/HSL11-02C</p>	<p><b>B</b></p>	<p>∠</p>
	<p><b>LA GARD Deadbolt</b> (ECL) Types: <u>lock</u>    <u>Input</u>    <u>Software</u> 3740 M    3035    LG Basic 3740 M    3047*    LG Basic 3740 M    3190    LG Basic 3740 M    3710*    LG Basic 3740 M    3750    LG Basic 6040 M    3035    Pro(39E),Supra, LGA 6040 M    3125    Pro(39E),Supra, LGA 6040 M    3190    Pro(39E),Supra, LGA 6040 M    3710*    Pro(39E),Supra, LGA 6040 M    3750    Pro(39E),Supra, LGA 6040 M    3750K    Pro(39E),Supra, LGA 6040 M    8130*    Pro(39E),Supra, LGA *Knob turn 2666 required</p>	<p>538102/HSL11-01C</p>	<p><b>B</b></p>	<p>[</p>
<p><b>dormakaba EAD GmbH,</b> Werk SAL, Velbert/DE</p>	<p><b>Code-Combi B</b> (ECL,KL/RS) (with mechanical emergency lock) Typen: 82 132 Code Combi B and 82132 Combi B30 (with software version:CB30 Rev. 2)</p>	<p>537303/HSL03-17E</p>	<p><b>B</b></p>	<p>[</p>

<b>Fichet Technologies, Baldenheim/FR</b>	<b>NECTRA</b> (ECL) Types/Input unit: AUDIT/TXN2 BASIC/PXN	0807/HSL08-02F	<b>B</b>	[
	<b>KelNet-B</b> (ECL) Types/Input units: KelNet SU R-B/ IU STD-B and IU Bio-B KelNet SU-B/ IU STD-B and IU Bio-B	0807/HSL18-01B	<b>B</b>	[
	<b>KelNet@-B</b> (ECL) Types/Input units: KelNet@ SU R-B/IU STD-B and IU Bio-B KelNet@ SU-B/IU STD-B and IU Bio-B	0807/HSL18-02B	<b>B</b>	[
<b>Gunnebo Markersdorf GmbH Markersdorf/DE</b>	<b>Safelock B</b> (ECL) Types: SafeLock B-one SafeLock B-one R (RS) SafeLock B-2 SafeLock B-2R (RS)	070418/HSL18-01	<b>B</b>	[
<b>INSYS Microelectronics GmbH, Regensburg/DE</b>	<b>TwinLock B</b> (ECL) Types / Input unit TwinLock CashProtect B600 / QPad TwinLock CashProtect B650 / QPad TwinLock CashProtect B670 / QPad 500 Business / FlatControl EloStarMaster 700 BioPin / FlatControl BioPin 700 Business Excellent / QPad Glas 700 Business Smart / QPad Folie 705 Business / FlatControl Business 705 Business Excellent / QPas Glas 705 Business Smart / QPad Folie 720 Business / FlatControl Business 720 Business Excellent / QPad Glas 720 Business Smart / QPad Folie 725 Business / FlatControl Business 725 Business Excellent / Qpad Glas 725 Business Smart / QPad Folie 740 Business Excellent / QPad Folie 740 Business Smart / Qpad Folie 745 Business Excellent / QPad Glas 745 Business Smart / QPad Glas	0908/HSL14-04B	<b>B</b>	[
	<b>CombiLock</b> (ECL) Types: CIT, 200 multi, 200 multi RFID, 200 pro, 200 pro RFID, 200 simplex Input unit: CombiControl, CombiControl RFID ( <i>supersedes CombiStar 200</i> )	0908/HSL14-01C	<b>B</b>	[
	<b>EloStar</b> (ECL) Types: 300 multi, 300 pro, 300 time Input unit: ES33, ES33 multi, ES36, ES39, ES42	0908/HSL14-02A	<b>B</b>	[

	<p><b>EloStar Master (ECL)</b> Types / Input unit EloStar BioMaster 300 / FlatControl BioMaster EloStar Master 300 / FlatControl Master EloStar Master 300 smart / QPad Folie EloStar Master 305/306 / FlatControl Master EloStar Master 305 smart / QPad Folie EloStar Master 306 CoBa / FlatControl Master EloStar Master 310 / FlatControl Master EloStar Master 315 / FlatControl Master EloStar Master 320 / FlatControl Master EloStar Master 325 / FlatControl Master EloStar Master 340 smart / QPad Folie EloStar Master 345 smart / QPad Folie EloStar Master 400 / FlatControl Master EloStar Master 405/406 / FlatControl Master EloStar Master 406 CoBa / FlatControl Master EloStar Master 410 / FlatControl Master EloStar Master 415 / FlatControl Master EloStar Master 420 / FlatControl Master EloStar Master 425 / FlatControl Master EloStar Master 441 / FlatControl Master</p> <p><b>EloStar flexID (EKL)</b> Types:300 multi, 300 simplex Input unit: RFID Leseinheit A and B</p> <p><b>TwinLock CoSiLock (ECL)</b> Input unit: FlatControl</p>	<p>0908/HSL14-03C</p> <p>0908/HSL18-01</p> <p>0908/HSL19-02</p>	<p><b>B</b></p> <p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>[</p> <p>[</p>
<p><b>LEM S.r.l.,</b> Gerenzano (VA) / IT</p>	<p><b>HAL 600 (ECL)</b></p> <p><b>HAL 600/89 (ECL)</b></p>	<p>070329/HSL13-01B</p> <p>070329/HSL19-01</p>	<p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>[</p>
<p><b>M-Locks BV,</b> Doetinchem/NL</p>	<p><b>EM1620 (DirectDrive) (ECL)</b> with input units AL20XX, BR50XX, DE20XX, AL30XX, EC10XX, EC40XX, EK50XX, ST40XX, T65XX, T75XX, T85XX, Echo Basic and Echo Advance</p> <p><b>EM20XX (Rotobolt) (ECL)</b> Types EM2020. EM2050 with input units AL20XX, BR50XX, DE20XX, AL30XX, EC10XX, EK50XX, ST40XX, TK65XX, PI20-xx,PI30-xx; Echo Basic and Echo Advance</p>	<p>1007/HSL10-01B</p> <p>1007/HSL10-02B</p>	<p><b>B</b></p> <p><b>B</b></p>	<p>[</p> <p>∠</p>

	EM35XX (Straight Bolt) (ECL) Types: EM3520, EM3550, EM3560 with the input units AL20XX, AL30XX, BR50XX, DE20XX, EC10XX. EK50XX, ST40XX, EC10XX, PI20-xx, PI30-xx, Echo Basic and Echo Advance		1007/HSL10-04B	<b>B</b>	[
<b>Nanjing Easthouse Electrical Co.Ltd., Nanjing/CN</b>	EL-0601 (ECL) Types: EL-0601, EL-0601-D input unit: EC-0601A-II		1406/HSL14-01A	<b>B</b>	∠
	EL-0601-S (ECL) input unit: EC-0601A-II		1406/HSL14-02A	<b>B</b>	∠
	EL-0901 (ECL) <sup>1)</sup> input unit: EC-0601A-II Lock mainly for safe deposit lockers		1406/HSL16-01A	<b>B</b>	other
	EL-0701 (ECL) Types: EL0701, EL-0701-D input unit: EC-0601A-II		1406/HSL14-03A	<b>B</b>	[
<b>Promet Safe, Ltd., Kazanlak/BG</b>	PS-310 (ECL)		0906/HSL20-01	<b>B</b>	[
	PS-600 (ECL)		0906/HSL15-01A	<b>B</b>	∠
<b>Promet NPO, Ltd. Moskau/RU</b>	PS-310 (ECL)		0907/HSL18-01	<b>B</b>	[
	PS-550 (ECL)		0907/HSL18-02	<b>B</b>	[
	PS-610 (ECL)		0907/HSL16-01A	<b>B</b>	∠
	PS-650 (ECL)		0907/HSL17-02A	<b>B</b>	[
<b>Sargent and Greenleaf, Inc. Nicholasville, Kentucky/US</b>	Titan 2007 DDrive (ECL) Input units: 6130-2XX, 6130-3XX, 6130- 31X		1503/HSL16-01B	<b>B</b>	[
	Titan 2006 Pivotbolt (ECL) Input units: 6120-0XX, 6120-2XX, 6120- 23X, 6130-40X, 61KP-2XX and 6120-42X		1503/HSL16-02B	<b>B</b>	∠
<b>SECU Sicherheitsprodukte GmbH, Meinerzhagen/DE</b>	SELO-B (ECL)		071302/HSL05-01D	<b>B</b>	[
	SELO-B 2 (ECL)		071302/HSL11-01B	<b>B</b>	[

	SELO-BFE 2	(ECL)	071302/HSL11-02B	<b>B</b>	[
	SELO-BR	(ECL/RS)	071302/HSL07-02D	<b>B</b>	[
	SELO-AB	(ECL)	071302/HSL19-02	<b>B</b>	[
	SELO-BR V.2 FP	(ECL)	070329/HSL21-01	<b>B</b>	[
<b>SGSG Science &amp; Technology Co., Ltd.</b> Zhuhai, Guangdong/CN	HJ-L1110-20 (u f mode)	(ECL)	1605/HSL16-01A	<b>B</b>	[
Input unit: LC111020					

**Certified locks of other accredited bodies:**

<b>Beijing Jinchu Automation Technology Co., Ltd</b> Beijing/CN	Jinchu Automation – ECS JC 5150		no ECB•S certificate	<b>B</b>
<b>Burg-Wächter KG,</b> Wetter (Ruhr)/DE	TRSE 6000 (ECL) Certification expires in fingerprint only setting. TRSE 6000 FP not permitted		no ECB•S certificate	<b>B</b>
<b>Carl Wittkopp GmbH,</b> Velbert/DE	Anchor 2600		no ECB•S certificate	<b>B</b>
	TULOX		no ECB•S certificate	<b>B</b>
	SWINGLOX		no ECB•S certificate	<b>B</b>
<b>dormakaba Schweiz AG,</b> Wetzikon/CH	Questor (ECL)		no ECB•S certificate	<b>B</b>



<b>dormakaba USA Inc., Lexington, Kentucky/US</b>	LA GARD Swingbolt (ECL) lock Types (Input unit/lock): 3000/4200M, 3035/4200M, 3047/4200M, 3190/4200M, 3710/4200M, 3715/4200M, 3750/4200M, 3810/4200M, 3815/4200M, 4715/4200M, 5150/4200M, 5750/4200M, 82869/4200M with Software 3800 Dual Control, 3802 LGB (LG Basic) and 3803 LGB+ (LG Basic Plus)  3035/4300M, 3047/4300M, 3125/4300M, 3190/4300M, 3710/4300M, 3750/4300M, 3750K/4300M, 8130/4300M, 82869/4300M with Software 39 <sup>F</sup> (Pro) and 66 <sup>F</sup> LGA (LG Audit) Optional with the external battery boxes 4002 or 2789-NC Optional blocking resp. release of the lock by the system LYW PL2014		no ECB•S certificate	B
	AUDITCON 2 (ECL) Models: 52, T52, 252 and 552		no ECB•S certificate	B
<b>GST Gebäude Sicherheits- technik GmbH, Kassel/DE</b>	Stellar-SPL-17 (ECL)		no ECB•S certificate	B
	Stellar-ML-18-1 (ECL)		no ECB•S certificate	B
	SOLAR (ECL)		no ECB•S certificate	B
<b>INSYS MICROELECTRONICS GmbH Regensburg/DE</b>	EloStar Master flexID (EKL)		no ECB•S certificate	B
	TwinLock flexID B (EKL)		no ECB•S certificate	B
<b>IDIPS, La Celle Saint Cloud/FR</b>	HORO410/HORO710 (ECL) Input units: H400 /C /SC /B		no ECB•S certificate	B
	HORO410ZL/HORO710ZL (ECL) Input units: H400 /C /SC /B		no ECB•S certificate	B
	HORO410DB/HORO710DB (ECL) Input units: H410 /C /SC /B (adapter NL2600 requested)		no ECB•S certificate	B

<b>Lock Your World GmbH &amp; Co. KG,</b> Bad Orb/DE	PL2010 (EKL)	no ECB•S certificate	B
	PL2014-V44 (EKL)	no ECB•S certificate	B
<b>Lock Technology,</b> VR Uift/NL	EM30.20/EM30.50 and EM30.60 Motorschloss (ECL) with input units ST40.XX, EC10.XX, EC 40.XX, EK 50.XX, AL20.XX, AL30.XX, PI20.XX, PI30.XX and "Leader"	no ECB•S certificate	B
	EM20.20, EM20.50 and EM20.60 Rotobolt (ECL) with input units ST40.XX, EC10.XX, EC 40.XX, EK 50.XX, AL20.XX, AL30.XX, PI20.XX, PI30.XX and "Leader"	no ECB•S certificate	B
	EM35.20, EM35.50 and EM35.60 (Straight Bolt) (ECL) with input units AL20.XX (Alpha), BR50.XX (Bravo) DE 20.XX (Delta), PI20.XX, PI30.XX and "Leader"	no ECB•S certificate	B
	Universal Rotobolt (UR40.20, UR 40.50) (ECL) with input units ST40.XX, EC 40.XX, EK 50.XX, AL20.XX, AL30.XX, PI20.XX, PI30.XX and "Leader"	no ECB•S certificate	B
<b>M-Locks BV,</b> Doetinchem /NL	EM3050 (Motorschloss) (ECL) with input units St40XX, EC10XX, EC40XX, EK50XX, AL20XX, AL30XX, BR50XX, DE20XX, T65XX, T75XX and T85XX EM3060 with Leader input unit	no ECB•S certificate	B
<b>Nanjing Easthouse Electrical Co.Ltd.,</b> Nanjing/CN	DL-1701 D-Drive (ECL)	no ECB•S Zertifikat	B
<b>Perto S.A.</b> Gravatai/BR	HSL 51xx	no ECB•S certificate	B

<b>Sargent &amp; Greenleaf Inc.</b> , Nicholasville, Kentucky/US	6124	(ECL)	no ECB•S certificate	B
	6125	(ECL)		B
	6126	(ECL)		B
	6127	(ECL)		B
	6128	(ECL)		B
	6129	(ECL)		B
	Spartan 1006 Privotbolt	(ECL)		B
	Spartan 1007 DDrive	(ECL)		B
	3006 Pivotbolt	(ECL)		B
	3007 DirectDrive	(ECL)		B
	3028	(ECL)		B
3029	(ECL)	B		
<b>SecuRam Systems Inc.</b> , Oxnard/US	EL-0601-S	(ECL)	no ECB•S certificate	B
	EL-0701	(ECL)		B
	EL-0901	(ECL) <sup>1)</sup>		B
	EL-0601	(ECL)		B
	DL-1701 D-Drive	(ECL)		B
<b>SGSG Science &amp; Technology Co., Ltd</b> Zhuhai, Guangdong/CN	HJ-L1110-20D		no ECB•S certificate	B
<b>Stockinger Safety First Class GmbH</b> , Neuried/DE	Stocktronic	(ECL/RS) <sup>1)</sup>	no ECB•S certificate	B
	STOCKTRONIC-PA		no ECB•S certificate	B
<b>TECNOSICUREZZA s.r.l.</b> , Verona/IT	EM 20.20 und EM20.50 (Rotobolt)	(ECL)	no ECB•S certificate	B
	Input units ST40.XX, EC10.XX, EC40.XX, EK50.XX, AL20.XX (Al- pha), AL30.XX (Alpha), T75XX (Bra- voversion), T85XX (Entryversion) and T65XX (Pulse) (Typ EM20.20-TD with time delay)			
	EM 35.20 und EM 35.50 (Straight Bolt)	(ECL)		
	EM 6050	(ECL)	no ECB•S certificate	B

DigiTech	(ECL)	no ECB•S certificate	B
Pulse PRO	(ECL)	no ECB•S certificate	B
TechMaster	(ECL)	no ECB•S certificate	B
MiniTech	(ECL)	no ECB•S certificate	B

#### 4 Class C locks

4.1 Mechanical key locks (KL)	Model	ECB•S Certificate	EN 1300/ bolt
<b>dormakaba EAD GmbH,</b> Werk SAL, Velbert/DE	70011 Primus C	537303/HSL03-18E	<b>C</b> [
<b>FICHET BAUCHE,</b> Bazancourt/FR	MxB-C	0440/HSL04-04E	<b>C</b> [
<b>Lebtig Schließtechnik GmbH &amp; Co. KG</b>	2374 – EuroNovum	1109/HSL11-04B	<b>C</b> [
	2375 – EuroNovum	1109/HSL11-05B	<b>C</b> [
<b>SECU Sicherheitsprodukte GmbH,</b> Meinerzhagen/DE	S 6500	071302/HSL03-07E	<b>C</b> [

#### *Certified locks of other accredited bodies:*

<b>ASSA OEM AB,</b> Eskilstuna/SE	FAS 6990	no ECB•S certificate	C
<b>Carl Wittkopp GmbH,</b> Velbert/DE	1824	no ECB•S certificate	C
	IVOX, 4.19.98	no ECB•S certificate	C

4.2 Mechanical code locks (CL)		Model	ECB•S Certificate	EN 1300/ Bolt	
<b>FICHET BAUCHE,</b> Bazancourt/F		MONEO EN C (PS, AS, IND) <sup>1)</sup>	0440/HSL04-05E	<b>C</b>	other
<b><i>Certified locks of other accredited bodies:</i></b>					
<b>dormakaba USA Inc.,</b> Lexington, Kentucky/USA		LA GARD 1947 (PS)	no ECB•S certificate	<b>C</b>	
<b>Lebtig Schließtechnik GmbH &amp; Co. KG,</b> Bötzingen/DE		3097 (PS) (with setting knob kit type 3104; version 3097...31 with bolt contact))	no ECB•S certificate	<b>C</b>	
4.3 Electronic locks (EKL/ECL)		Model	ECB•S Certificate	EN 1300/ Bolt	
<b>Carl Wittkopp GmbH,</b> Velbert/DE		Gator 8000 (ECL) input unit: Gator DF	1210/HSL16-05A	<b>C</b>	[
<b>dormakaba Schweiz AG,</b> Wetzikon/CH		PAXOS Advance (ECL/RS) (with setting knob input)	072232/HSL13-02A	<b>C</b>	[
<b>Fichet Technologies,</b> Baldenheim/FR		KelNet-C (ECL) types: KelNet-C SU R-C KelNet SU-C	0807/HSL18-03B	<b>C</b>	[
		KelNet@-C (ECL) types: KelNet@ SU R-C KelNet@ SU-C	0807/HSL18-04B	<b>C</b>	[
<b>Gunnebo Markersdorf GmbH</b> Markersdorf/DE		SafeLock C (ECL) types: SafeLock C-one R SafeLock C-2 R SafeLock C-3 R	070418/HSL18-02	<b>C</b>	[
<b>INSYS Microelectronics GmbH,</b> Regensburg/DE		TwinLock C (ECL) types / input units TwinLock CashProtect C690 / QPad 700 BioPin / FlatControl BioPin 700 Business / FlatControl Business 700 Business Excellent / QPad Glas 705 Business / QPad Folie 720 Business Excellent / QPad Glas 720 Business Smart / QPad Folie	0908/HSL14-05A	<b>C</b>	[

			730 Business / FlatControl Business 740 Business Excellent / QPad Glas 740 Business Smart / QPad Folie (optional with network connection)			
<b>SECU Sicherheitsprodukte GmbH, Meinerzhagen/DE</b>	SELO-C	(ECL/RS)		071302/HSL05-02D	<b>C</b>	[

**Certified locks of other accredited bodies:**

<b>dormakaba Schweiz AG, Wetzikon/CH</b>	Paxos compact with with setting knop input			no ECB•S certificate	<b>C</b>	
<b>INSYS Microelectronics GmbH Regensburg/DE</b>	TwinLock flexID C Models Business C740 flexID CashProtect C690 flexID Input unit: Qpad Smart			no ECB•S certificate	<b>C</b>	
<b>Lock Your World GmbH &amp; Co.KG Bad Orb/DE</b>	PL3014-V44			no ECB•S certificate	<b>C</b>	

**5 Class D locks**

<b>5.1 Electronic locks (EKL/ECL)</b>	<b>Model</b>		<b>ECB•S Certificate</b>	<b>EN 1300/ Bolt</b>	
<b>Carl Wittkopp GmbH Velbert/DE</b>	Gator 9000	(ECL/RS)	5254/HSL16-06A	<b>D</b>	[
<b>dormakaba Schweiz AG, Wetzikon/CH</b>	PAXOS Advance (with setting knob input)	(ECL/RS)	072232/HSL15-05A	<b>D</b>	[
<b>Fichet Technologies, Baldenheim/FR</b>	KelNet-D Types: KelNet SU R-D KelNet SU-D	(ECL)	0807/HSL18-05B	<b>D</b>	[

	<b>KeINet@-D</b> Types: KeINet@ SU R-D KeINet@ SU-D	(ECL)	0807/HSL18-06B	<b>D</b>	[
<b>Gunnebo Markersdorf GmbH Markersdorf/DE</b>	<b>SafeLock D</b> Types: SafeLock D-2 R SafeLock D-3 R	(ECL)	070418/HSL18-03	<b>D</b>	[
<b>INSYS MICROELECTRONICS GmbH, Regensburg/DE</b>	<b>TwinLock D</b> Typ: D900 Business	(ECL/RS)	0908/HSL18-02	<b>D</b>	[
<b>SECU Sicherheitsprodukte GmbH, Meinerzhagen/DE</b>	<b>SELO-D</b>	(ECL/RS)	071302/HSL05-03D	<b>D</b>	[

**Certified locks of other accredited bodies:**

<b>dormakaba Schweiz AG, Wetzikon/CH</b>	Paxos compact with setting knop input	no ECB•S certificate	<b>D</b>
--	--	-------------------------	----------

## 6 List of suppliers

---

ASSA Abloy Opening Solutions Schweden  
AB  
Kungsgatan 73 C  
632 21 Eskilstuna  
SWEDEN

Fon.: +46 16 17 70 00  
Fax: +46 16 17 70 11  
Internet: [www.assaabloyopeningsolutions.se](http://www.assaabloyopeningsolutions.se)

---

BAUSSA Industrias de Seguridad  
Ctra. De Plencia 5  
Apartado No. 30  
48100 Munica, Vizcaya  
SPAIN

Fon.: +34 946 74 90 99  
Fax: +34 976 74 05 62  
e-Mail: [info@baussa.com](mailto:info@baussa.com)  
Internet: [www.baussa.com](http://www.baussa.com)

---

Beijing Jinchu Automation  
Technology Co., Ltd.  
16th floor, C2 Building, Yicheng Plaza No. 11  
Changchunqiao Rd. Ha  
100089 Beijing  
PEOPLES REPUBLIC OF CHINA

Tel.: +86 13901 2091 33 / 86 10 58815679  
Internet: [www.jinchugroup.com](http://www.jinchugroup.com)

---

Burg-Wächter KG  
Altenhofer Weg 15  
58300 Wetter (Ruhr)  
GERMANY

Fon: +49 2335 965-30  
Fax: +49 2335 965-390  
e-Mail: [info@burg.biz](mailto:info@burg.biz)  
Internet: [www.burg.biz](http://www.burg.biz)

---

Carl Wittkopp GmbH  
Konrad-Zuse-Str. 5  
42551 Velbert  
GERMANY

Fon.: +49 20 51 95 66-0  
Fax: +49 20 51 95 66-66  
e-Mail: [info@carl-wittkopp.com](mailto:info@carl-wittkopp.com)  
Internet: [www.carl-wittkopp.com](http://www.carl-wittkopp.com)

---

Conforti S.p.A.  
Viale del Lavoro, 13  
37036 San Martino Buon Albergo (VR)  
ITALY

Fon.: +39 045 8 87 73 29  
Fax: +39 045 8 79 60 43  
e-Mail: [conforti@conforti.it](mailto:conforti@conforti.it)  
Internet: [www.conforti.it](http://www.conforti.it)

---

dormakaba EAD GmbH  
- Werk SAL -  
Siemensstr. 33  
42551 Velbert  
Germany

Tel.: +49 2051 9111 0  
Fax: +49 2051 9111 39  
e-Mail: [safelocks.de@dormakaba.com](mailto:safelocks.de@dormakaba.com)  
Internet: [www.dormakaba.com](http://www.dormakaba.com)

---

dormakaba USA Inc.  
749 West Short Street  
40508 Lexington, KY  
USA

Tel.: +1 859 977 3452  
Fax: +1 859 977 3452  
e-Mail: [brian.craycraft@dormakaba.com](mailto:brian.craycraft@dormakaba.com)  
Internet: [www.dormakaba.com](http://www.dormakaba.com)

---



---

dormakaba Schweiz AG  
Mühlebühlstraße 23  
8620 Wetzikon  
SWITZERLAND

Fon.: +41 848 85 86 87  
e-Mail: info.ch@dormakaba.com  
Internet: www.dormakaba.com

---

Euro-Locks Sp. z.o.o.  
ul. Pawla 29  
41-708 Ruda Slaska  
POLAND

Fon.: +48 32 344 78 70  
Fax: +48 32 344 78 74  
e-Mail: sekretariat@euro-locks.pl  
Internet: www.euro-locks.pl

---

FICHET BAUCHE  
B.P. 1  
51110 Bazancourt  
FRNACE

Tel.: +33 3 26 91 44 44  
Fax: +33 3 26 91 44 45  
e-Mail: order.baz@fichetgroup.com  
Internet: fichetgroup.fr

---

Fichet Technologies  
23, route de Schwobsheim  
67600 Baldenheim  
FRANCE

Tel.: +33 3 88 85 06 06  
Fax: +33 3 88 85 37 76  
e-Mail: info@fichetgroup.fr  
Internet: fichetgroup.fr

---

GST Gebäude-Sicherheitstechnik GmbH  
Lilienthalstr. 25  
34123 Kassel  
GERMANY

Tel.: +49 56 15 8 98 90-0  
Fax: +49 56 15 8 98 90-99  
e-Mail: vertrieb@gst-tresore.de  
Internet : www.gst-tresore.de

---

Gunnebo Markersdorf GmbH  
Oldenburger Ring 11a  
02829 Markersdorf  
GERMANY

Tel.: +49 358 29 6 38-30 (Intern. -40)  
Fax: +49 358 29 6 38-38  
e-Mail: info@Markersdorf.DE@Gunnebo.com  
Internet : www.gunnebo.com

---

IDIPS  
13 Avenue Gabriel  
78170 La Celle Saint Clud  
FRANCE

Tel.: +33 1 3918 1212  
Fax: +33 1 3918 0008  
e-Mail: comercial@idips.com  
Internet: www.idips.com

---

Inno Smart Equipments Co., Ltd.  
Rm. 203, Blk. 15, The Vtrek Innovation  
Ind. Park, No. 644, Shibe Industry Road  
511430 Guangzhou, Panyu District  
PEOPLES REPUBLIC OF CHINA

Tel.: +86 20 3917 7018  
Fax: +86 20 3917 7098  
Internet: www.inno-locks.cn

---

INSYS locks  
A brand of INSYS MICROELECTRONICS  
Hermann-Köhl-Str. 22  
93049 Regensburg  
GERMANY

Fon: +49 941 5 86 92-0  
Fax: +49 941 5 86 92-45  
e-Mail: [insys@insys-locks.de](mailto:insys@insys-locks.de)  
Internet: [www.insys-locks.de](http://www.insys-locks.de)

Intergard LLC  
771 Shotgun Road  
Sunrise, FL 33326  
USA

Fon: +1 954 476 55 74  
Fax: +1 964 476 55 76

Lebtig Schließtechnik GmbH & Co. KG  
Schlossmattenstr. 1  
79268 Bötzingen  
GERMANY

Tel.: +49 76 63 60 73-0  
Fax: +49 76 63 60 73-23  
e-Mail: [info@lebtig.de](mailto:info@lebtig.de)  
Internet: [www.lebtig.de](http://www.lebtig.de)

LEM S.r.l.  
Via per Uboldo. 48  
21040 Gerenzano  
ITALIEN

Tel.: +39 02 96 87 04 01  
Fax: +39 02 9 68 27 96  
e-Mail: [lem@lemlocks.it](mailto:lem@lemlocks.it)  
Internet: [www.lemlocks.it](http://www.lemlocks.it)

Lock Technology  
Maasstraat 10A  
7071 VR ULFT  
NETHERLANDS

Tel.: +31 314 63 22 55  
Fax: +31 314 63 23 72

Lock Your World GmbH & Co. KG  
Gewerbestr. 5  
63619 Bad Orb  
GERMANY

Fon.: +49 6052 912 808-0  
Fax: +49 6052 912 808-5 00  
e-Mail: [info@LockYourWorld.com](mailto:info@LockYourWorld.com)  
Internet: [www.LockYourWorld.com](http://www.LockYourWorld.com)

M-Locks BV  
Vlijtstraat 40  
7005 BN Doetinchem  
NETHERLANDS

Fon: +31 314 37 68 76  
e-Mail: [info@m-locks.com](mailto:info@m-locks.com)  
Internet: [www.m-locks.com](http://www.m-locks.com)

Nanjing Easthouse Electrical Co., Ltd  
No. 27 Puzhou Road, Pukou District  
210032 Nanjing  
PEOPLES REPUBLIC OF CHINA

Fon: +86 25 86553388  
e-Mail: [info@easthouse.net](mailto:info@easthouse.net)  
Internet: [www.easthouse.net](http://www.easthouse.net)  
Internet: [www.easthouse.net](http://www.easthouse.net)

Perto S.A.  
Rua Nissin Castiel, 640 – Distrito Ind.  
94045-420 Gravataí – RS  
BRAZIL

Tel.: +55 51 34 89 87 00  
Internet: [www.perto.com.br](http://www.perto.com.br)

---

Promet NPO, Ltd.  
Village Sosenki, 114,  
Community Sosenskoe  
142791 Moscow  
RUSSIA

Fon: +7 495 7 77 48 38  
Fax: +7 495 7 77 48 85  
e-Mail: [export@promet-safe.com](mailto:export@promet-safe.com)  
Internet: [www.safe.ru](http://www.safe.ru)

---

Promet Safe, Ltd.  
60 Rozova Dolina St.  
6100 Kazanlak  
BULGARIA

Tel.: +359 2 934 98 20  
Fax: +359 2 998 26 70  
e-Mail: [bgexport@promet-safe.com](mailto:bgexport@promet-safe.com)  
Internet: [www.safe-bg.com](http://www.safe-bg.com)

---

Sargent & Greenleaf, Inc.  
Stanley Security Solutions, Inc.  
1 Security Drive  
Nicholasville, KY 40356  
USA

Fon: +41 21 694.34.02  
e-Mail: [Sylvano.Montano@sbdinc.com](mailto:Sylvano.Montano@sbdinc.com)  
Internet: [www.sargentandgreenleaf.com](http://www.sargentandgreenleaf.com)

---

SECU Sicherheitsprodukte GmbH  
Wormgermühle  
58540 Meinerzhagen  
GERMANY

Fon: +49 23 58 9 05-2 80  
Fax: +49 23 58 9 05-2 99  
e-Mail: [mail@secu.biz](mailto:mail@secu.biz)  
Internet: [www.secu-gmbh.de](http://www.secu-gmbh.de)

---

SecuRam Systems Inc.  
1899 N Rice Ave., Suite 205  
Oxnard, CA 93030  
USA

Tel.: +1 805 988-8088  
e-Mail: [info@securamsys.com](mailto:info@securamsys.com)  
Internet: [www.securamsys.com](http://www.securamsys.com)

---

SGSG Science & Technology., Ltd.  
3rd floor, Block A3, No.1  
Software Park Road,  
State Hightech Zone  
519085 Zhuhai, Guangdong  
PEOPLES REPUBLIC OF CHINA

Fon: +86 756 323 6673  
Fax: +86 756 323 6667  
Internet: [www.sgsg.cc](http://www.sgsg.cc)

---

Shenzhen City Zhishengyu  
Fine Metal Plastic Co. Ltd.  
2<sup>nd</sup> Floor, No 9, Fengye Fifth Road  
Fenghuang 1<sup>st</sup> Industrial Zone  
518013 Shenzhen, Guangdong Fuyong Bao'an  
PEOPLES REPUBLIC OF CHINA

Tel.: +86 755 8146 1265  
Fax: +85 755 8146 1393  
Internet: [chy3656242.diytrade.com/](http://chy3656242.diytrade.com/)

---

Stark s.r.l.  
Via Provinciale Nord 36  
42017 Novellara - (RE)  
Italy

Tel.: +39 0522 653 745  
Fax: +39 0522 654 096  
e-Mail: [info@starksafes.com](mailto:info@starksafes.com)  
Internet: [www.starksafes.com/ita/home](http://www.starksafes.com/ita/home)

---

---

Stockinger Safety First Class GmbH  
Eichenstr. 15  
82061 Neuried  
GERMANY

Fon: +49 89 124 138 960  
e-Mail: [info@stockinger.com](mailto:info@stockinger.com)  
Internet: [www.stockinger.com](http://www.stockinger.com)

---

Talleres AGA S.A.  
Notario Etxagibel 6  
20500 Arrasate-Mondragon, Gipuzkoa  
SPAIN

Fon: +34 943 790 922  
Fax: +34 943 790 976  
e-Mail: [talleresaga@aga.es](mailto:talleresaga@aga.es)  
Internet: [www.aga.es](http://www.aga.es)

---

TECNOSICUREZZA s.r.l.  
Via Cesare Battisti 276  
37057 Verona  
ITALY

Fon: +39 045 826 64 70  
Fax: +39 045 826 64 69  
e-Mail: [info@tecnosicurezza.it](mailto:info@tecnosicurezza.it)  
Internet: [www.tecosicurezza.it](http://www.tecosicurezza.it)

---